

W W O N I

**Intex®**

2026  
**Product  
Catalogue**

C E I I

<b>1.0 Framing</b>	<b>8</b>
<b>2.0 Finishing Profiles</b>	<b>28</b>
<b>3.0 Access Panels</b>	<b>40</b>
<b>4.0 Fasteners</b>	<b>44</b>
<b>5.0 Sealants &amp; Adhesives</b>	<b>58</b>
<b>6.0 Compounds &amp; Tapes</b>	<b>62</b>
<b>7.0 Tools &amp; Accessories</b>	<b>68</b>
<b>8.0 Site Equipment</b>	<b>106</b>




# **T A O F C O**



**BLE**

**ONTENTS**



# Intex is a multinational Australian Owned corporation engaged in the design, development, manufacturing, marketing and supply of integrated solutions for the wall & ceiling industry.

Since its founding in 1989, Intex has been inspiring the Walls and Ceilings community, harnessing the power of collaboration and innovation to create systems for every stage of the internal lining process. Complementing this system of products is the bespoke end-to-end project partnership, combining in-house design, engineering, and on-site support services.

Intex operates through its own strategically located logistic centers and an extensive network of distribution partners, completing the global supply chain, delivering the Intex brand to commercial and residential construction projects around the world.

**AUSTRALIA**  
t: 1300 107 108

**NEW ZEALAND**  
t: 800278 276

**VICTORIA**  
115 McKellar Way  
Epping, Melbourne  
VIC, 3076

**SOUTH AUSTRALIA**  
7/13-17 Sturton Road  
Edinburgh, Adelaide  
SA, 5111

**NEW SOUTH WALES**  
8-10 Bosci Road,  
Ingleburn, Sydney  
NSW, 2565

**QUEENSLAND**  
75 Hub Crescent  
Heathwood  
QLD, 4110

**TASMANIA**  
52 Translink Avenue  
South Western Junction  
TAS, 7212

**WESTERN AUSTRALIA**  
3 Production Road  
Canning Vale, Perth  
WA, 6155

**NEW ZEALAND**  
13 Mahunga Drive  
Māngere Bridge  
Auckland, 2022

## Patents, Design Registrations & Trademarks

BigMudda®	Flectos®	MegaBatten®	Plastapro®	Starmix®	WallSpan®
BlazeBlocker®	Hi-Stride®	MegaGrip®	PlasterX®	Starvax®	Wet-N-Stick®
ButtX®	Joest®	MegaJack®	ProtecX®	Tall Mudda®	ZipStrip®
Corx®	Jost®	MegaMixer®	Qubit360®	TradeTuff®	
Dura-Stilt®	Knax®	MiracleTrim®	QuikStrip®	TurboKnife®	
DuraTape®	Lumo®	No-Pock-Pro®	Radius360®	Useit®	
EndureX®	Megadaptor®	PaperBead®	Rendex®	VersaTrowel®	
FatJack®	MegaFix®	PlasterFuse®	RevealX®	VorteX®	

Pat. 758137 (NZ)  
Pat. Pen. 1901006226 (TH)  
Pat. Pen. 62020010219.7 (HK)  
Pat. 2021203208 (AU)  
Pat. Pen. 2021221484 (AU)  
Des. 202216034 (AU)  
Des. 202216848 (AU)  
Des. 202216849 (AU)  
Des. 202216850 (AU)  
Des. 202216851 (AU)  
Des. 202216852 (AU)  
Des. 202216852 (AU)  
Des. 90051371140001 (UK)  
Des. 220673 (CA)

Des. 202330197146.X (CN)  
Des. 2321308.5 (HK)  
Des. 383720-001 (IN)  
Des. Pen. 140250140002000187 (IR)  
Des. 1762828 (JP)  
Des. 23-E0572-0101 (MY)  
Des. 432011 (NZ)  
Des. Pen. 2302001488 (TH)  
Des. 2023/003679 (TR)  
Des. D6000330/2023 (UAE)  
Des. Pen. 29/889,284 (USA)  
Des. 202313243 (AU)  
Des. 015017533-0001 (EU)  
Des. 6275003 (UK)

Des. 202312391 (AU)  
Pat. Pen. 2023307412 (AU)  
Pat. Pen. 817275 (NZ)  
Pat. Pen. 3,270,255 (CA)  
Pat. Pen. 202380072800.1 (CN)  
Pat. Pen. 140450140003000275 (IR)  
Pat. Pen. 2025-521289 (JP)  
Pat. Pen. PI2025002142 (MY)  
Pat. Pen. 2501002351 (TH)  
Pat. Pen. 2025/004102 (TR)  
Pat. Pen. P2025-01100 (UAE)  
Pat. Pen. 19/119,813 (USA)  
Pat. Pen. 2023360052 (AU)  
Pat. Pen. 821371 (NZ)

Pat. Pen. 23875968.2 (EU)  
Pat. Pen. 202517044760 (IN)  
Pat. Pen. GB2506890.9 (UK)  
Des. 202318240 (AU)  
Des. 006489746-0001 (UK)  
Des. 230748 (CA)  
Des. 202430342303.6 (CN)  
Des. 015062737-0001 (EU)  
Des. 2423488.8 (HK)  
Des. 418162-001 (IN)  
Des. 140350140002001239 (IR)  
Des. 2024-11,488 (JP)  
Des. 24-E1003-0101 (MY)  
Des. 433818 (NZ)

Des. D239833 (TW)  
Des. 2402002671 (TH)  
Des. 2024/004797 (TR)  
Des. D2024-00474 (UAE)  
Des. 668546 (UK)  
Des. 29/945,549 (USA)  
Des. 202513618 (AU)  
Pat. PCT/AU2024/050691  
Pat. 2024903566 (AU)  
Pat. 2024903834 (AU)  
Pat. 2024306220 (AU)

Copyright Intex Group International Pty Ltd. This publication is copyright and therefore covered by copyright laws. Other than for the purposes of and subject to the conditions prescribed under the copyright act, no part of it may in any form or by any means be reproduced, including information storage or stored in a retrieval system or transmitted or by making available on line without prior written permission of Intex International. Intex International will not hesitate to take appropriate legal action to protect their rights and against any infringements of this copyright. While every effort has been made to ensure the accuracy of the information herein, Intex Group International accepts no liability for any loss or damage, either directly or consequential, arising out of, or in relation to, the use or application of the said information or products 2026 © referred to herein. All information and specifications are subject to change without any prior notice. Photographs are for illustrative purposes only and may vary from products depicted. Information correct at time of publication. E.&O.E. Brand and product names are trademarks or registered trademarks of their respective holders. ABN: 95919466212. Product details are correct at time of printing. Any registered trademarks used are the trademarks of the registered owners, any unregistered trademarks are used in accordance with a claimed common law right.



# OUT



**AUSTRALIAN  
OWNED**

# FRAMEWORK™

Intex **FRAMEWORK™** Design Manual is the industries go-to resource, designed to help with product selection, installation, and technical information.

This publication brings together our range of technical literature into a simple reference. Inside you will find performance detail and technical guidance on Intex products and systems, supporting architects, engineers, and other design professionals in their day-to-day residential and commercial design work.

Compatibility, compliance, certification, and warranties are critical and why Intex continually invests in testing and accreditation to verify our products and systems. The complete integrated Intex system is underpinned by a product, service, and satisfaction guarantee. Furthermore, in addition to individual product warranties, the Intex system is warranted for use on all plasterboard brands that meet AS/NZS 2588 (when installed according to NCC). Our technical team collaborates with a network of globally renowned subject matter experts from varying typologies. This partnership continues to advance and uncover opportunities, delivering tangible solutions that enable regulators, engineers, architects, and contractors to build more sustainably, more economically, more safely, and most importantly, compliantly. It's this position of industry leadership that drives our people every day.

When using the Intex **FRAMEWORK™** Design Manual and respective Intex products and systems, either independently or through the Intex bespoke end-to-end project partnership, you can be assured your engaged with the industry's trusted solutions that are behind the best residential and commercial buildings.








# 10





# Framing

# Framing





Stud					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
51	0.50	2400	9341229220291	10/100	3S5124
		2700	9341229220314	10/100	3S5127
		3000	9341229220338	10/100	3S5130
		3600	9341229220352	10/100	3S5136
		4200	9341229220376	10/100	3S5142
	0.75	2400	9341229220307	4/100	3S5124H
		2700	9341229220321	4/100	3S5127H
		3000	9341229220345	4/100	3S5130H
		3600	9341229220369	4/100	3S5136H
		4800	9341229220383	4/100	3S5148H
64	0.50	2400	9341229007458	10/100	3S6424
		2700	9341229007557	10/100	3S6427
		2850*	9341229220444	10/100	3S64285
		3000	9341229007465	10/100	3S6430
		3600	9341229220482	10/100	3S6436
		4200	9341229220512	10/100	3S6442
		4800	9341229220529	10/100	3S6448
	0.75	2400	9341229220406	10/100	3S6424H
		2700	9341229220420	10/100	3S6427H
		3000	9341229220468	10/100	3S6430H
		3600	9341229220499	10/100	3S6436H
		4200	9341229225906	10/100	3S6442H
	1.15	4800	9341229220536	10/100	3S6448H
		2700	9341229225661	10/100	3S6427XH
		3000	9341229220475	10/100	3S6430XH
		3600	9341229220505	10/100	3S6436XH
		4200	9341229229300	10/100	3S6442XH
		4800	9341229220543	10/100	3S6448XH
76	0.55	6000	9341229225678	10/100	3S6460XH
		2400	9341229007564	10/100	3S7624
		2700	9341229007472	10/100	3S7627
		3000	9341229007571	10/100	3S7630
		3600	9341229220642	10/100	3S7636
		4200	9341229220673	10/100	3S7642
	0.75	4800	9341229220680	10/100	3S7648
		2400	9341229220567	4/100	3S7624H
		2700	9341229220598	4/100	3S7627H
		3000	9341229220628	4/100	3S7630H
		3600	9341229220659	4/100	3S7636H
		4200	9341229229294	4/100	3S7642H
		4800	9341229220697	4/100	3S7648H
6000	9341229220710	4/100	3S7660H		

\* Lead times may apply.



Stud Cont'					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
76	1.15	2400	9341229220574	4/140	3S7624XH
		2700	9341229220604	4/140	3S7627XH
		3000	9341229220635	4/140	3S7630XH
		3600	9341229220666	4/140	3S7636XH
		4200	9341229225685	4/140	3S7642XH
		4800	9341229220703	4/140	3S7648XH
		6000	9341229220727	4/140	3S7660XH
92	0.55	2400	9341229007489	10/100	3S9224
		2700	9341229007588	10/100	3S9227
		3000	9341229007496	10/100	3S9230
		3600	9341229220819	10/100	3S9236
		4200	9341229220840	10/100	3S9242
		4800	9341229220864	10/100	3S9248
		6000	9341229220895	10/100	3S9260
	0.75	2400	9341229220741	4/100	3S9224H
		2700	9341229220765	4/100	3S9227H
		3000	9341229220796	4/100	3S9230H
		3600	9341229220826	4/100	3S9236H
		4200	9341229220857	4/100	3S9242H
		4800	9341229220871	4/100	3S9248H
		6000	9341229220901	4/100	3S9260H
	1.15	2700	9341229220772	4/140	3S9227XH
		3000	9341229220802	4/140	3S9230XH
		3600	9341229220833	4/140	3S9236XH
		4200	9341229225692	4/140	3S9242XH
		4800	9341229220888	4/140	3S9248XH
		6000	9341229220918	4/140	3S9260XH
	150	0.75	3000	9341229229256	4/140
3600			9341229220253	4/140	3S15036H
4800			9341229220260	4/140	3S15048H
6000			9341229220277	4/140	3S15060H
1.15		3000	9341229224824	4/140	3S15030XH
		3600	9341229225708	4/140	3S15036XH
		4200	9341229229249	4/140	3S15042XH
		4800	9341229225715	4/140	3S15048XH
		6000	9341229225722	4/140	3S15060XH

# Framing



Track					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
51	0.50	3000	9341229220956	10/150	3T5130
	0.70	3000	9341229220963	4/100	3T5130H
64	0.50	3000	9341229007595	10/150	3T6430
	0.70	3000	9341229220987	4/100	3T6430H
	1.15	3000	9341229220994	4/100	3T6430XH
76	0.50	3000	9341229007144	10/150	3T7630
	0.70	3000	9341229221014	4/100	3T7630H
	1.15	3000	9341229221021	4/100	3T7630XH
92	0.50	3000	9341229007151	10/150	3T9230
	0.70	3000	9341229221045	4/100	3T9230H
	1.15	3000	9341229221052	4/100	3T9230XH
150	0.75	3000	9341229220932	4/100	3T15030H
	1.15	3000	9341229220949	4/100	3T15030XH

Acoustic Stud					
92	0.55	3000	9341229229331	4/100	3AS9230
		3600	9341229229355	4/100	3AS9236
		4200	9341229229362	4/100	3AS9242

Jamb Stud					
92	1.20	3000	9341229005461	6/120	3J9230XH
		3600	9341229013411	6/120	3J9236XH
		4200	9341229005478	6/120	3J9242XH

\* Lead times may apply.




H Stud					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
25	0.55	3000mm	9341229228969	10/200	3H2530
		3600mm	9341229228976	10/100	3H2536




CH Stud					
64	0.55	3000	9341229229539	50	3SCH6430
		3600	9341229229546	50	3SCH6436
	0.90	4500	9341229229553	50	3SCH6445H




102	0.55	3600	9341229229508	50	3SCH10236
		4300	9341229229515	50	3SCH10243
	0.90	5500	9341229229522	50	3SCH10255H



E Stud					
64	0.55	3000	9341229229584	50	3SE6430
		3600	9341229229591	50	3SE6436
102	0.55	3600	9341229229560	50	3SE10236
		4300	9341229229577	50	3SE10243




J Track					
64	0.80	3000	9341229229621	50	3TJ6430H
102		3000	9341229229614	50	3TJ10230H




J Deflection Head Track					
64	0.80	3000	9341229229492	50	3DJ6430H
102		3000	9341229229485	50	3DJ10230H


# Framing




Deflection Head Track					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
51	0.50	3000	9341229220024	4/80	3D5130
	0.70	3000	9341229220031	4/80	3D5130H
64	0.50	3000	9341229220048	4/80	3D6430
	0.70	3000	9341229220055	4/80	3D6430H
	1.15	3000	9341229220062	4/80	3D6430XH
76	0.50	3000	9341229220079	4/80	3D7630
	0.70	3000	9341229220086	4/80	3D7630H
	1.15	3000	9341229220093	4/80	3D7630XH




92	0.50	3000	9341229220109	4/80	3D9230
	0.70	3000	9341229220116	4/80	3D9230H
	1.15	3000	9341229220123	4/80	3D9230XH



150	0.75	3000	9341229220000	4/80	3D15030H
	1.15	3000	9341229220017	4/80	3D15030XH



Slotted Deflection Head Track					
64	0.75	3000	9341229222745	4/80	3DS6430H
	1.15	3000	9341229222776	4/80	3DS6430XH
76	0.75	3000	9341229222752	4/80	3DS7630H
	1.15	3000	9341229222783	4/80	3DS7630XH
92	0.75	3000	9341229222769	4/80	3DS9230H
	1.15	3000	9341229222790	4/80	3DS9230XH




150	1.15	3000	9341229227634	4/80	3DS15030XH
-----	------	------	---------------	------	------------




Flexible Track					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
51	0.50	2400	9341229226545	2/10	3FX5124S
64		2400	9341229226552	2/10	3FX6424S
76		2400	9341229226569	2/10	3FX7624S
92	0.75	2400	9341229226576	2/10	3FX9224S
150		2400	9341229226583	2/10	3FX15024S


Actual product may vary.




Noggling Track						
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Punch (mm)	Code
51	0.70	3645	9341229229072	4/100	300	3NT5130H
		3645	9341229229720	4/100	400	3NT5140H
		3645	9341229224800	4/100	450	3NT5145H
		3645	9341229222400	4/100	600	3NT5160H
64		3645	9341229229089	4/100	300	3NT6430H
		3645	9341229229218	10/100	400	3NT6440H
		3645	9341229220192	4/100	450	3NT6445H
		3645	9341229220208	4/100	600	3NT6460H



76	0.70	3645	9341229229096	4/100	300	3NT7630H
		3645	9341229229225	10/100	400	3NT7640H
		3645	9341229220215	4/100	450	3NT7645H
		3645	9341229220222	4/100	600	3NT7660H






92	0.70	3645	9341229229102	4/100	300	3NT9230H
		3645	9341229229232	10/100	400	3NT9240H
		3645	9341229220239	4/100	450	3NT9245H
		3645	9341229220246	4/100	600	3NT9260H




150	0.70	3645	9341229220178	4/100	450	3NT15045H
		3645	9341229220185	4/100	600	3NT15060H


# Framing




Top Hat						
Width (mm)	Depth (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
50	15	0.75	3600	9341229222417	4/100	3TH501536H
			6000	9341229222424	4/100	3TH501560H
		1.15	3600	9341229222479	10/100	3TH501536XH
			6000	9341229224756	10/50	3TH501560XH
	25	0.75	6000	9341229222431	4/100	3TH502560H
			3600	9341229222486	10/100	3TH502536XH
		1.15	6000	9341229222547	10/50	3TH502560XH
	35	0.75	3600	9341229224862	4/100	3TH503536H
			6000	9341229222448	4/100	3TH503560H
		1.15	3600	9341229222493	10/100	3TH503536XH
			6000	9341229224732	10/50	3TH503560XH
	50	0.75	3600	9341229221076	4/100	3TH505036H
			6000	9341229222455	4/100	3TH505060H
		1.15	3600	9341229222509	10/100	3TH505036XH
			6000	9341229224718	10/50	3TH505060XH



75	35	0.75	6000	9341229222462	4/100	3TH753560H
			3600	9341229222516	10/100	3TH753536XH
		1.15	6000	9341229222578	10/50	3TH753560XH




120	35	1.15	6000	9341229222523	10/50	3TH1203560XH
-----	----	------	------	---------------	-------	--------------



Utility Angle					
Leg (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
35 x 35	0.55	3600	9341229009841	10/600	2UA3536*
	0.75	3600	9341229229195	10/600	2UA3536H
40 x 40	0.55	3600	9341229224985	10/600	2UA4036*
50 x 50	0.75	3600	9341229016955	10/600	2UA5036H
	1.15	3000	9341229221809	10/600	2UA5030XH
75 x 75	1.15	3000	9341229221823	10/600	2UA7530XH

\*Only Available in NZ.





Slotted Angle					
50 x 50	0.75	2400	9341229223872	20/100	SA5024
75 x 50	1.15	2400	9341229015606	10/600	SA7524



Top Cross Rail					
Depth (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
25	0.75	3600	9341229222707	10/200	2P236
		4800	9341229222714	10/200	2P248
		6000	9341229222721	10/200	2P260
38		4800	9341229221601	10/200	2P448

# Framing



Furring Channel					
Depth (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
16	0.50	2400	9341229221403	10/100	2F424
		2700	9341229221410	10/100	2F427
		3000	9341229221427	10/100	2F430
		3600	9341229221434	10/100	2F436
		4800	9341229221441	10/100	2F448
		6000	9341229016085	10/100	2F460
28		2400	9341229221342	4/150	2F324
		2700	9341229221359	4/150	2F327
		3000	9341229221366	4/150	2F330
		3600	9341229221373	4/150	2F336
		4800	9341229221380	4/100	2F348
		6000	9341229016092	4/100	2F360


MegaBatten®					
16	0.45	4800	9341229014760	12/420	2F148*
		6000	9341229014777	12/420	2F160*

\*Original downward 'v' profile design - suits matching clips.

Ceiling Batten					
16	0.45	4800	9341229229416	10/520	A2F148
		6000	9341229229423	10/520	A2F160

Top Hat Ceiling Batten					
22	0.42	6100	9341229221335	10/200	2F261
35	0.55	3600	9341229229430	10/280	2F536*
		4800	9341229229447	10/280	2F548*
		6000	9341229229454	10/280	2F560*

\*Only Available in NZ



Recessed Channel					
Depth (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
13	0.50	3000	9341229221465	10/100	2F730
		6000	9341229221472	10/100	2F760



Resilient Channel	0.55	3660	9341229221489	10/200	2F936
-------------------	------	------	---------------	--------	-------



ButtX <sup>®</sup> Back Blocking Batten					
16	0.45	300	9341229018478	100	2BX20



Furring Channel Wall Track					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
16	0.50	3000	9341229221496	10/600	2FW1630
28		3000	9341229221502	10/800	2FW2830
		3600	9341229221519	10/800	2FW2836
	1.15	3000	9341229229645	10/600	2FW2830XH*

\*Only Available in NZ



Suspension Rods					
Width (mm)	Galvanised	Length (mm)	Unit Barcode	QTY	Code
6	Threaded Rod	3000	9341229229713	100	2RTA015
5	Rod	3600	9341229221618	45/900	2R536
2.5	Tie Wire	3600	9341229229201	160	2R2536*

\*Only Available in NZ

OWA Acoustic Mineral Ceiling Tiles					
Size (mm)	Edge	Name	Unit Barcode	QTY	Code
1200 x 600 x 15	Square 3	Brillianto A	9341229229119	10	2CTB15S
		Finetta	9341229229126	10	2CTF15S
		Sinfonia	9341229229133	10	2CTS15S
		Sinfonia C	9341229229140	10	2CTSC15S
1200 x 600 x 20		Sinfonia Privacy	9341229229157	8	2CTSP20S



Brillianto A



Finetta



Sinfonia Series


Ceiling Grid Systems				
Size (mm)	Description	Unit Barcode	QTY	Code
24 x 38 x 3600	Main Tee	9341229221762	20	2T136
24 x 32 x 1200	Cross Tee	9341229221779	60	2T212
24 x 25 x 600	Cross Tee	9341229221786	60	2T306



32 x 19 x 3600	Wall Angle	9341229221847	30	2W136
35 x 25 x 3600	Wall Angle Seismic Grid	9341229006680	20	2WS36
35 x 10 x 3600	Wall Angle Shadowline Seismic Grid	9341229229478	20	2W336S





Drywall Ceiling Grid Systems				
Size (mm)	Description	Unit Barcode	QTY	Code
24 x 25 x 600	Cross Tee	9341229229690	32	2DGT306
43 x 38 x 3600	Main Tee	9341229229164	10	2DGT136
43 x 38 x 1200	Cross Tee	9341229229171	32	2DGT212



31 x 31 x 3600	Wall Angle	-	20	2DGCW136
31 x 31 x 3600	Wall Angle	9341229229188	20	2DGW136
43 x 38 x 1600	Cross Tee	9341229006673	32	2DGT216















Grid System Brackets			
Description	Unit Barcode	QTY	Code
Seismic Bracket – Grid to Wall Angle (70mm Long)	9341229229805	100	2SBW
Direct Fix Bracket - L Shape (180mm Long)	9341229000398	100	2D180



Batten Direct Fix Clips			
MegaBatten® Short Clip (80mm drop)	9341229001814	100	2D1*
MegaBatten® Long Clip (150mm drop)	9341229001852	200	2D2*
Ceiling Batten Direct Fix Clip – Short (Compatible with A2F148 & A2F160) 80mm Drop	9341229222615	100	2D1A
Ceiling Batten Direct Fix Clip – Long (Compatible with A2F148 & A2F160) 150mm Drop	9341229222622	200	2D2A
MegaBatten® Short Clip (10mm drop)	9341229001869	100	2D3
MegaBatten® Short Clip	9341229001821	100	2D10
Ceiling Batten Clip	9341229007953	100	2C6









\*Compatible with MegaBatten® 2F148 and 2F160 only.

Suspended Ceiling Clips				
	Description	Unit Barcode	QTY	Code
	TCR-Furring Channel Locking Key	9341229001807	200	2C1
	Adjustable TCR Spring Hanger	9341229001944	200	2S1
	Adjustable TCR Side Mount Spring Hanger	9341229009186	100	2S1A
	TCR Direct Fix Clip	9341229221755	100	2S6
	Adjustable Tee-Bar Spring Hanger	9341229221748	100	2S3
	Tee-Bar to MegaBatten® Furring Channel	9341229221137	100	2C4
	Suspension Rod/Wire Purlin Clip	9341229001951	100	2VF
	Flat Suspension Rod Bracket	9341229001890	100	2H1
	Right Angle Suspension Rod Bracket	9341229001906	100	2H2
	Right Angle Suspension Rod Bracket (Short)	9341229229393	100	2H3
	Angle Clip Assembly Top Hat and Flute	9341229000541	100/1200	9AC25
	Sleeve Type Anchor	9341229000640	100/1000	9S625
		9341229000657	100/1000	9S640
	Wedge Type Anchor	9341229000633	100/2000	9S660
	Tie Wire Eye Lag Screw	9341229229652	100	9ELC75*
	Tie Wire Eye Self Drill Screw	9341229229669	100	9ESD22*

\*Only Available in NZ (TCR: Top Cross Rail) (FC: Furring Channel)

Furring Channel Direct Fix Clips				
	Description	Unit Barcode	QTY	Code
	Furring Channel A-Clip Short	9341229001876	100	2D5
	Furring Channel A-Clip Long	9341229001883	100	2D6
	Batten Clip Short/Suits 35mm Megabatten®	9341229229638	100	2D12*
	Adjustable FC BetaFix Clip Short	9341229001838	200	2D15
	Adjustable FC BetaFix Clip Long	9341229001845	200	2D15L
	Adjustable FC BetaFix Clip Extra Long	9341229221229	100	2D15XL
	Adjustable & Threaded FC Axi™ Clip	9341229228914	100	2D7ML
	Adjustable Threaded FC Axi™ Clip	9341229229379	100	2D7M8

\*Only Available in NZ (FC: Furring Channel)

Acoustic Resilient Mounts				
	Description	Unit Barcode	QTY	Code
	FC Resilient Mount Direct Fix	9341229221625	100	2RD1
	Adjustable FC Resilient Mount	9341229001920	100	2RD15
	Adjustable FC Resilient Mount - Long	9341229225616	100	2RD15L
	Adjustable FC Resilient Mount Axi™ Clip	9341229228884	100	2RD7A
	Adjustable FC Resilient Mount Axi™ Clip	9341229228877	100	2RD7M
	TCR-FC Locking Key With Resilient Mount	9341229221663	100	2RD5
	Acoustic Decoupler for Furring Channels	9341229016146	100	2RD6
	Acoustic Decoupler Stud Bracket	9341229016153	100	2RD7
	Joiner Bracket	9341229016184	100	2RD8
	Rubber Mat	9341229007946	1	RESIL045


(TCR: Top Cross Rail) (FC: Furring Channel)




Stud Brackets				
Width (mm)	Description	Unit Barcode	QTY	Code
80	Multipurpose Bracket	9341229228112	100	2MPB80



60	Multipurpose Bracket	9341229229461	100	2MPB60
----	----------------------	---------------	-----	--------



Top Hat Cleats					
Width (mm)	Depth (mm)	Length (mm)	Unit Barcode	QTY	Code
50	35	100	9341229229317	100	2THB5035
	50	100	9341229229324	100	2THB5050






Channel Joiners			
Description	Unit Barcode	QTY	Code
Nail Up MegaBatten® Joiner	9341229001913	200	2J3





Furring Channel Joiner	9341229221595	100	2J5
------------------------	---------------	-----	-----

\*'A' suffix codes represent clips suited for use with original tensile downward 'v' profile design batten.

# Framing



Qubit360® External Track					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
92	0.75	3000	9341229227719	4/100	3TE9230H
	1.15	3000	9341229229737	4/80	3TED9230XH
150	0.75	3000	9341229227726	4/100	3TE15030H
	1.15	3000	9341229229744	4/80	3TED15030XH



Qubit360® Internal Track					
64	0.50	3000	9341229226514	4/100	3TQ6430
	0.75	3000	9341229227658	4/100	3TQ6430H
76	0.50	3000	9341229226521	4/100	3TQ7630
	0.75	3000	9341229227665	4/100	3TQ7630H
92	0.50	3000	9341229226538	4/100	3TQ9230
	0.75	3000	9341229227672	4/100	3TQ9230H
150	0.50	3000	9341229227641	4/100	3TQ15030
	0.75	3000	9341229227689	4/100	3TQ15030H
	1.15	3000	9341229229706	4/100	3TQ15030XH

Qubit360® Isolation Bracket			
Size (mm)	Unit Barcode	QTY	Code
64 x 250	9341229226460	1/25	2WD64
76 x 250	9341229226477	1/25	2WD76
92 x 250	9341229226484	1/25	2WD92
150 x 250	9341229226491	1/25	2WD150

Qubit360® Dropper			
Q-Dropper Bracket	9341229229812	1	2QD

Q-Dropper TCR Clip	9341229229829	1	TC7Q
--------------------	---------------	---	------

TCR to J-Track Clip	9341229229836	1	TC8Q
---------------------	---------------	---	------



### MegaFix® Qubit360® Hex Head Screw Anchors

Patented anchor for use in concrete fixing with the Qubit360® Total Frame Isolation System, designed to effectively isolate, deflect and accommodate torsion, in-plane and out-of-plane movement inside buildings.

Code	Description	Size (mm)	Unit Barcode	CTN QTY
9HA63045	30mm Flange (isolation)	6 x 45	9341229228952	100
9HA83060	30mm Flange (isolation)	8 x 60	9341229227849	100



### MegaFix® Qubit360® Hex Head Threaded Bolts

Patented bolt for use in non-concrete fixing with the Qubit360® Total Frame Isolation System, designed to effectively isolate, deflect and accommodate torsion, in-plane and out-of-plane movement inside buildings.

9HB83025	30mm Flange (isolation)	8 x 25	9341229227863	100
----------	-------------------------	--------	---------------	-----



### MegaFix® Qubit360® Hex Head Self Drill Anchors

Unique patented Series 500 anchor for use in metal fixing with the Qubit360® Total Frame Isolation System, designed to effectively isolate, deflect and accommodate torsion, in-plane and out-of-plane movement inside buildings.

9HD83035	30mm Flange (isolation)	8 x 35	9341229229850	100
----------	-------------------------	--------	---------------	-----



### MegaFix® Qubit360® Isolation Anchor Sleeve

Unique sleeve for use on patented bolts in external applications of the Qubit360® Total Frame Isolation System.

9NH1030	Nylon	10 x 30	9341229226637	100
---------	-------	---------	---------------	-----

### BlazeBlocker® Qubit360® Isolation Fire Seal Tapes

Unique expanding foam tape for use in fire applications with the Qubit360™ Total Frame Isolation System. Quicker and easier to install than fire sealant, suitable for use in all cavity applications and compensates greater movement whilst maintaining integrity. Complies with AU/NZ standards.


Code	Description	Material	Size	Unit Barcode	CTN QTY
6FS253	Roll	Foam	25mm x 3m	9341229226668	8
6FS353	Roll	Foam	35mm x 3m	9341229226675	8
6FS453	Roll	Foam	45mm x 3m	9341229226682	8
6FS923	Roll	Foam	92mm x 3m	9341229227610	8

\*Actual product may vary.






# Finishing Profiles




External Angles					
Angle	Width (mm)	Length (mm)	Unit Barcode	QTY	Code
90°	30	2100	9341229223001	50/3000	PEX9021
		2400	9341229012339	50/3000	PEX9024
		2550	9341229012346	50/3000	PEX9025
		2700	9341229012353	50/3000	PEX9027
		3000	9341229012360	50/3000	PEX9030
		3600	9341229013909	50/2500	PEX9036




135°	30	2400	9341229223995	50	PEX13524
		2700	9341229223933	50	PEX13527
		3000	9341229223926	50	PEX13530
		3600	9341229223919	50	PEX13536



Internal Angles					
90°	30	2400	9341229224015	50	PA9024
		2700	9341229224008	50	PA9027
		3000	9341229224015	50	PA9030
		3600	9341229224022	50	PA9036




135°	30	2400	9341229223957	50	PA13524
		2700	9341229223964	50	PA13527
		3000	9341229223971	50	PA13530
		3600	9341229223988	50	PA13536




Internal Flashing Angles					
Size (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
40 x 40	0.35	1800	9341229225548	20	PBA904018
30 x 30		2400	9341229019956	20	PBA9024
		2700	9341229019963	20	PBA9027
		3000	9341229016108	20	PBA9030




Bead					
Size (mm)	Bead	Length (mm)	Unit Barcode	QTY	Code
6	Casing	3000	9341229019826	20	MCB0630
10		2400	9341229019833	20	MCB1024
		2700	9341229019840	20	MCB1027
		3000	9341229019857	20	MCB1030
		3600	9341229019864	20	MCB1036
13		2400	9341229019871	20	MCB1324
		2700	9341229019888	20	MCB1327
		3000	9341229019895	20	MCB1330
		3600	9341229019901	20	MCB1336
16		3000	9341229019918	20	MCB1630




32	Arch	3000	9341229009346	80	PAB18030
		3600	9341229012445	80	PAB18036



6	Stopping	3000	9341229001371	20	SB0630
10		2400	9341229015989	20	SB1024
		2700	9341229001364	20	SB1027
		3000	9341229015996	20	SB1030
		3600	9341229001357	20	SB1036
13		2400	9341229001326	20	SB1324
		2700	9341229001333	20	SB1327
		3000	9341229016009	20	SB1330
		3600	9341229016016	20	SB1336
16		3000	9341229001340	20	SB1630




Stopping Angles					
Description	Depth (mm)	Length (mm)	Unit Barcode	QTY	Code
Long Leg	6	3000	9341229012384	80	LSA0630
	10	3000	9341229012391	80	LSA1030
	13	3000	9341229012407	80	LSA1330
	16	3000	9341229012414	80	LSA1630
	30	3000	9341229012421	50	LSA3030




Shadowline	6	3000	9341229006109	80	SL0630
	10	3000	9341229006123	80	SL1030



Expansion Joint Trims					
Perforated Edge	6	3000	9341229009865	10	EJ0630
	10	3000	9341229009858	10	EJ1030



End Cap Trims					
Long Leg	112	2700	9341229226705	10	EC11227
	112	3000	9341229228099	10	EC11230
	118	2700	9341229228105	10	EC11827
	118	3000	9341229226736	10	EC11830



RevealX® Reveal Trims					
Width (mm)	BMT (mm)	Length (mm)	Unit Barcode	QTY	Code
20	0.75	3000	9341229222806	10	WT02030
		3600	9341229222813	10	WT02036
25		3000	9341229009001	10	WT02530
		3600	9341229222820	10	WT02536
30		3000	9341229226361	10	WT03030
35		3000	9341229009018	10	WT03530
		3600	9341229009025	10	WT03536
40		3000	9341229222837	10	WT04030
		3600	9341229222844	10	WT04036
45		3000	9341229222851	10	WT04530
		3600	9341229222868	10	WT04536
50		3000	9341229009032	10	WT05030
		3600	9341229009049	10	WT05036
60		3000	9341229222875	10	WT06030
		3600	9341229222882	10	WT06036
65		3000	9341229009056	10	WT06530
		3600	9341229009063	10	WT06536
75		3000	9341229222899	10	WT07530
		3600	9341229222905	10	WT07536
80		3000	9341229222912	10	WT08030
	3600	9341229222929	10	WT08036	
90	3000	9341229009070	10	WT09030	
	3600	9341229009087	10	WT09036	
100	3000	9341229008950	10	WT10030	
	3600	9341229222936	10	WT10036	
110	3000	9341229222943	10	WT11030	
	3600	9341229222950	10	WT11036	
120	3000	9341229008967	10	WT12030	
	3600	9341229008974	10	WT12036	
135	2400	9341229223704	10	WT13524	
	3000	9341229222967	10	WT13530	
	3600	9341229222974	10	WT13536	
150	3000	9341229222981	10	WT15030	
	3600	9341229222998	10	WT15036	




Casing Beads				
Width (mm)	Length (mm)	Unit Barcode	QTY	Code
4.5	3000	9341229019253	25/100	4CB4530
	3600	9341229002095	25/100	4CB4536
6	2400	9341229001975	25/100	4CB0624
	3000	9341229001982	25/100	4CB0630
	3600	9341229001999	25/100	4CB0636
10	2400	9341229002002	25/100	4CB1024
	2700	9341229002019	25/100	4CB1027
	3000	9341229002026	25/100	4CB1030
	3600	9341229002033	25/100	4CB1036
13	2400	9341229002040	25/100	4CB1324
	2700	9341229002057	25/100	4CB1327
	3000	9341229002064	25/100	4CB1330
	3600	9341229002071	25/100	4CB1336
16	3000	9341229019208	25/100	4CB1630




Divisional Moulds				
4.5	2400	9341229002170	25/100	4DM4524
	3000	9341229002187	25/100	4DM4530
	3600	9341229002194	25/100	4DM4536
6	2400	9341229002101	25/100	4DM0624
	3000	9341229002118	25/100	4DM0630
	3600	9341229002125	25/100	4DM0636
10	2400	9341229002132	25/100	4DM1024
	3000	9341229019468	25/100	4DM1030
	3600	9341229002149	25/100	4DM1036
13	3600	9341229002163	25/100	4DM1336




Internal Divisional Moulds				
4.5	3000	9341229019314	25	4IM4530
6	3000	9341229019161	25	4IM0630
10	3000	9341229001678	10	4IM1030




External Divisional Moulds				
Width (mm)	Length (mm)	Unit Barcode	QTY	Code
4.5	3000	9341229019123	25	4EM4530
6	3000	9341229019086	25	4EM0630
10	3000	9341229010786	10	4EM1030



External Corner Beads				
Profile	Length (mm)	Unit Barcode	QTY	Code
32mm Leg	3000	9341229002293	50	4PE9030



135°	3000	9341229010809	50	4P135US
------	------	---------------	----	---------




Adjustable 135°	3000	726372540103	50	4AX135TT
-----------------	------	--------------	----	----------




Arch Bead	3000	9341229002279	50	4P180
-----------	------	---------------	----	-------




Corner Beads				
Description	Length (mm)	Unit Barcode	QTY	Code
External 90° (R008LP)	2400	726372580086	50	4PESL24TT
External 90° (R010LP)	3000	726372540103	50	4PESL30TT



Internal 70° - 150°	3000	9341229010816	70	4A135US
---------------------	------	---------------	----	---------



Adjustable - Roll (4320)	6100	726372043208	1	4MC61TT
--------------------------	------	--------------	---	---------




Expansion Joint				
Tearaway Strip (2710)	3000	9315778993210	25	4EJ27TT




'V-Joint' Tearaway Strip (093V)	3000	726372999314	20	4EJ93TT
'V-Joint' Peel ZipStrip®	3000	9341229226378	25	4EJ93US




L Beads				
Description	Length (mm)	Unit Barcode	QTY	Code
ZipStrip® Flat (No Leg)	3000	9341229010823	50	4TSA00US
ZipStrip® 6mm	3000	9341229010830	50	4TSA06US
ZipStrip® 10mm	3000	9341229010847	50	4TSA10US
ZipStrip® 13mm	3000	9341229010854	50	4TSA13US
ZipStrip® 16mm	3000	9341229225999	50	4TSA16US




Super Seal 10mm (9210)	3000	726372192104	25	4TSA10TT
------------------------	------	--------------	----	----------



10mm (3206)	3000	726372232060	80	4LSA10TT
13mm (3210)	3000	726372132100	80	4LSA13TT
25mm (3510)	3000	726372135101	50	4OSA25TT
32mm (3610)	3000	726372136108	50	4OSA32TT
54 or 68mm (3611)	3000	726372136115	30	4OSA68TT




Super 80mm Leg (3710)	3000	726372037108	30	4L095TT
Giant 145mm Leg (3850)	3000	726372138508	20	4L152TT



Flashing Angles				
Size (mm)	Length (mm)	Unit Barcode	QTY	Code
40 x 40	1800	9341229010298	25/100	4FL4018
50 x 75	3000	9341229019024	25	4FL5030
25 x 25	3600	9341229010281	25/50	4FL2536



Flexible Grid 22mm Face	2400	9341229010328	25/100	4FG22
-------------------------	------	---------------	--------	-------



Reveal Beads				
Description	Length (mm)	Unit Barcode	QTY	Code
13 x 13mm (5110)	3000	726372551109	20	4RB13TT




Shadowline Beads				
Description	Length (mm)	Unit Barcode	QTY	Code
Tearaway 6mm (5390T)	3000	9315778996020	25	4TSL06TT
ZipStrip® 10mm	3000	9341229010861	40	4TSL10US
Tearaway 13mm (5510T)	3000	726372755101	50	4TSL13TT



Arch L Beads				
Description	Length (mm)	Unit Barcode	QTY	Code
16mm Leg (3299)	3000	726372532993	50	4ASA16TT
13mm Leg (72-3288)	3000	726372532887	50	4ASA13TT



Super 80mm Leg (3810)	3000	723672138102	30	4A095TT
Giant 145mm Leg (3860)	3000	726372138607	20	4A152TT



Arch Shadowline Beads				
Tearaway 10mm (5550T)	3000	726372355509	25	4SFX10TT



Bullnose External Corner Beads				
10mm Radius 90°	3000	9341229018287	35	4BN901030US
19mm Radius 90°	3000	9341229015712	35	4BN9030US





# Access Panels

# Access Panels



## Manhole Frames

Four-piece PVC surround cuts down to fit any opening size, with fixing holes and an inside lid shelf.

Code	Description	Size (mm)	CTN Barcode	CTN QTY
4MKX60	PVC Manhole Frame Kit	600 x 600mm	9341229010748	1/20

## Sound Rated Access Panels

White powder coated doors and frames with concealed hinges and fixing tabs, designed to meet Building Codes and comply with RW31 and RW34 sound ratings. Custom sizes, locks, materials and features to meet architectural specifications can be manufactured to order with extended lead-times.



Code	Door (mm)	Edge	Lock	Rating	CTN Barcode	CTN QTY
APFL30BW31	MDF - 300	Flange	Twist	RW31	9341229001050	1/5
APSB30BW31	MDF - 300	Set Bead	Twist	RW31	9341229007519	1/5
APSB30TW31	MDF - 300	Set Bead	Touch	RW31	9341229007625	1/5
APFL45BW31	MDF - 450	Flange	Twist	RW31	9341229001036	1/5
APSB45BW31	MDF - 450	Set Bead	Twist	RW31	9341229007632	1/5
APSB45TW31	MDF - 450	Set Bead	Touch	RW31	9341229007649	1/5
APFL56BW31	MDF - 560	Flange	Twist	RW31	9341229000077	1/5
APSB56BW31	MDF - 560	Set Bead	Twist	RW31	9341229004266	1/5
APFL60BW31	MDF - 600	Flange	Twist	RW31	9341229000053	1/5
APSB60BW31	MDF - 600	Set Bead	Twist	RW31	9341229004280	1/5

APFL30BM34	Metal - 300	Flange	Twist	RW34	9341229017006	1/5
APSB30BM34	Metal - 300	Set Bead	Twist	RW34	9341229017013	1/5
APFL45BM34	Metal - 450	Flange	Twist	RW34	9341229017365	1/5
APSB45BM34	Metal - 450	Set Bead	Twist	RW34	9341229017372	1/5
APFL60BM34	Metal - 600	Flange	Twist	RW34	9341229017389	1/5
APSB60BM34	Metal - 600	Set Bead	Twist	RW34	9341229017396	1/5

## Standard Slimline Access Panels



White powder coated removable doors and frames with concealed hinges and fixing tabs, designed to meet Building Codes. Custom sizes, locks, materials and features to meet architectural specifications can be manufactured to order with extended lead times.

Code	Door (mm)	Edge	Lock	Rating	CTN Barcode	CTN QTY
APFL30BM	Metal - 300	Flange	Twist	-	9341229004525	1/5
APSB30BM	Metal - 300	Set Bead	Twist	-	9341229004600	1/5
APSB30TM	Metal - 300	Set Bead	Touch	-	9341229006871	1/5
APFL45BM	Metal - 450	Flange	Twist	-	9341229004549	1/5
APFL45TM	Metal - 450	Flange	Touch	-	9341229011875	1/5
APSB45BM	Metal - 450	Set Bead	Twist	-	9341229004624	1/5
APSB45TM	Metal - 450	Set Bead	Touch	-	9341229006895	1/5
APFL56BM	Metal - 560	Flange	Twist	-	9341229004563	1/5
APSB56BM	Metal - 560	Set Bead	Twist	-	9341229004648	1/5
APFL60BM	Metal - 600	Flange	Twist	-	9341229004587	1/5
APSB60BM	Metal - 600	Set Bead	Twist	-	9341229004662	1/5

## Fire Rated Access Panels



Designed to meet Building Codes and comply with 1 and 2 hour fire ratings. Custom sizes, locks, materials and features to meet architectural specifications can be manufactured to order with extended lead times.

APFL30F1*	MDF - 300	Flange	Budget	1 Hour	9341229223339	1
APSB30F1*	MDF - 300	Set Bead	Budget	1 Hour	9341229223346	1
APFL45F1*	MDF - 450	Flange	Budget	1 Hour	9341229223377	1
APSB45F1*	MDF - 450	Set Bead	Budget	1 Hour	9341229223384	1
APFL60F1*	MDF - 600	Flange	Budget	1 Hour	9341229223414	1
APSB60F1*	MDF - 600	Set Bead	Budget	1 Hour	9341229223421	1

APFL30F2	MDF - 300	Flange	Budget	2 Hour	9341229223353	1
APSB30F2	MDF - 300	Set Bead	Budget	2 Hour	9341229223360	1
APFL45F2	MDF - 450	Flange	Budget	2 Hour	9341229223391	1
APSB45F2	MDF - 450	Set Bead	Budget	2 Hour	9341229223407	1
APFL60F2	MDF - 600	Flange	Budget	2 Hour	9341229223438	1
APSB60F2	MDF - 600	Set Bead	Budget	2 Hour	9341229223445	1

\*Only Available in NZ.



# 44




# Fasteners

## Colour Code System

Needle Point/Coarse Thread	Self Drilling
Needle Point/Fine Thread	Wing Tek
	Type 17

## ZipStrip® Bugle Head Needle Point Collated Screws

Drywall to Timber or Light Gauge Metal Screw.



Code	Thread/Coating	Size (mm)	CTN Barcode	CTN QTY
8CBN25	Fine/Zinc	6 x 25	9341229003184	1,000/10,000
8CBN32	Fine/Zinc	6 x 32	9341229003191	1,000/10,000
8CBN42	Fine/Zinc	6 x 42	9341229003207	1,000/8,000
8CBN50	Fine/Zinc	7 x 50	9341229003214	1,000/8,000



ProtecX® coated for Class 4 corrosion resistance.

8CBNC425	Fine/Class 4	6 x 25	9341229012261	1,000/10,000
----------	--------------	--------	---------------	--------------




Coated for mild corrosion and abrasion resistance.

8CBN25B*	Fine/Black Phosphate	6 x 25	9341229014982	1,000/10,000
8CBN32B*	Fine/Black Phosphate	6 x 32	9341229014999	1,000/10,000

\*Lead times may apply.

## ZipStrip® Bugle Head Self Drill Point Collated Screws


Drywall to 0.8 - 2.3mm Thick Metal Screws.



8CBD25	Fine/Zinc	6 x 25	9341229003153	1,000/10,000
8CBD32	Fine/Zinc	6 x 30	9341229003160	1,000/10,000
8CBD42	Fine/Zinc	6 x 42	9341229003177	1,000/8,000

## ZipStrip® Bugle Head Needle Point Collated Screws


Thicker gauge coarse thread designed for laminating multiple layers of Drywall.



8CBGL38	Coarse/Zinc	10 x 38	9341229010540	1,000/8,000
---------	-------------	---------	---------------	-------------


### ZipStrip® Bugle Head Coarse Thread Collated Screws

Drywall to Soft Timber Screws.



Code	Thread/Coating	Size (mm)	CTN Barcode	CTN QTY
8CBC25	Coarse/Zinc	6 x 25	9341229003122	1,000/10,000
8CBC32	Coarse/Zinc	6 x 32	9341229003139	1,000/10,000
8CBC42	Coarse/Zinc	6 x 42	9341229003146	1,000/8,000

Coated for mild corrosion and abrasion resistance.



8CBC25B*	Coarse/Black Phosphate	6 x 25	9341229015002	1,000/10,000
8CBC32B*	Coarse/Black Phosphate	6 x 32	9341229015019	1,000/10,000

\*Lead times may apply.

### ZipStrip® Self Embed Head Needle Point Collated Screws

Fibre Cement to Timber or Light Gauge Metal Screws.



8CVS20	Fine/Zinc	8 x 20	9341229003467	1,000/10,000
8CVS30	Fine/Zinc	8 x 30	9341229003474	1,000/10,000

### ZipStrip® Self Embed Head Self Drill Point Collated Screws

Fibre Cement to 0.8 - 3.6mm Thick Metal Screws.



8CVD20	Fine/Zinc	8 x 20	9341229003443	1,000/10,000
8CVD30	Fine/Zinc	8 x 30	9341229003450	1,000/10,000

### ZipStrip® Flower Head Type 17 Point Collated Screws

Fibre Cement to Timber or Light Gauge Metal Screw. Type 17 point forms thread cutting action into Timber eliminating Timber expansion and minimising Timber splitting. Flower head design for low profile and superior self-embedding. ProtecX® coated for Class 4 corrosion resistance.



8CFTC425	Fine/Class 4	6 x 25	9341229006604	1,000/10,000
----------	--------------	--------	---------------	--------------

### ZipStrip® Flower Head Self Drill Point Collated Screws

Fibre Cement to 0.8 - 3.6mm Thick Metal Screw. Flower head design for low profile and superior self-embedding. ProtecX® coated for Class 4 corrosion resistance.



8CFDC425	Fine/Class 4	8 x 25	9341229009216	1,000/10,000
----------	--------------	--------	---------------	--------------



## MegaFix® Bugle Head Needle Point Screws

Drywall to Timber or Light Gauge Metal Screw.

Code	Thread/Coating	Size (mm)	CTN Barcode	CTN QTY
8BGS25	Fine/Zinc	6 x 25	9341229001111	1,000/12,000
8BGS30	Fine/Zinc	6 x 30	9341229001128	1,000/12,000
8BGS40	Fine/Zinc	6 x 40	9341229001135	1,000/5,000
8BGS45	Fine/Zinc	6 x 45	9341229001142	1,000/5,000
8BGS50	Fine/Zinc	7 x 50	9341229002989	1,000/4,000
8BGS65	Fine/Zinc	8 x 65	9341229003009	500/3,000
8BGS75	Fine/Zinc	8 x 75	9341229003023	500/2,000



## MegaFix® Bugle Head Self Drill Point Screws

Drywall to 0.8 - 2.3mm Thick Metal Screw.

8BGD25	Fine/Zinc	6 x 25	9341229002842	1,000/10,000
8BGD32	Fine/Zinc	6 x 30	9341229002866	1,000/10,000
8BGD40	Fine/Zinc	6 x 40	9341229002880	1,000/5,000
8BGD60	Fine/Zinc	8 x 60	9341229002910	500/3,000



## MegaFix® Bugle Head Coarse Thread Screws

Drywall to Soft Timber Screw.

8BGC25	Coarse/Zinc	6 x 25	9341229002781	1,000/10,000
8BGC30	Coarse/Zinc	6 x 30	9341229002798	1,000/10,000
8BGC40	Coarse/Zinc	6 x 40	9341229002811	1,000/5,000
8BGC63	Coarse/Zinc	8 x 63	9341229002835	500/2500



## MegaFix® Bugle Head Laminating Screws

Thicker gauge coarse thread screw designed for laminating multiple layers of Drywall.

8BGL38	Coarse/Zinc	10 x 38	9341229001104	1,000/5,000
8BGL50	Coarse/Zinc	10 x 50	9341229002927	1,000/4,000

### MegaFix® Button Head Needle Point Screws

Metal to 0.8mm Thick Metal Screw.



Code	Thread/Coating	Size (mm)	CTN Barcode	CTN QTY
8BTS15	Fine/Zinc	8 x 15	9341229001098	1,000/10,000
8BTS25	Fine/Zinc	8 x 25	9341229003092	1,000/6,000
8BTS40	Fine/Zinc	8 x 40	9341229009209	1,000/4,000


### MegaFix® Micro Flat Head Self Drill Point Screws

Metal to Metal 0.8 - 3.2mm Thick Screw.



8FHD16	Fine/Zinc	10 x 16	9341229003481	1,000/12,000
8FHD22	Fine/Zinc	10 x 22	9341229018119	1,000/12,000

ProtecX® coated for Class 4 corrosion resistance.



8FHD416	Fine/Class 4	10 x 16	9341229018096	1,000/12,000
8FHD422	Fine/Class 4	10 x 22	9341229018102	1,000/12,000
8FHD432	Fine/Class 4	10 x 32	9341229016993	1,000/5,000

### MegaFix® Button Head Self Drill Point Screws

Metal to 0.8 - 3.2mm Thick Metal Screw.



8BTD12	Fine/Zinc	8 x 12	9341229003047	1,000/12,000
8BTD16	Fine/Zinc	8 x 16	9341229003054	1,000/12,000
8BTD25	Fine/Zinc	8 x 25	9341229003078	1,000/4,000
8BTD40	Fine/Zinc	8 x 40	9341229009193	1,000/4,000

### MegaFix® Micro Flat Head Needle Point Screws

Metal to 0.8mm Thick Metal Screw. Thread runs to the head for extra tight fixing.



8FHS16	Fine/Zinc	10 x 16	9341229003498	1,000/12,000
--------	-----------	---------	---------------	--------------

### MegaFix® Wafer Head Self Drill Point Screws

Metal to 0.8 - 3.2mm Thick Metal Screw.



8WFD16	Fine/Zinc	10 x 16	9341229003542	1,000/10,000
8WFD22	Fine/Zinc	10 x 22	9341229003559	1,000/8,000

ProtecX® coated for Class 4 corrosion resistance.



8WFD430	Fine/Class 4	10 x 30	9341229010663	1,000/5,000
---------	--------------	---------	---------------	-------------

## MegaFix® Self Embed Head Needle Point Screws

Fibre Cement to Timber or Light Gauge Metal Screw.

Code	Thread/Coating	Size (mm)	CTN Barcode	CTN QTY
8CSS20	Fine/Zinc	8 x 20mm	9341229003351	1,000/12,000
8CSS30	Fine/Zinc	8 x 30mm	9341229003375	1,000/8,000
8CSS50	Fine/Zinc	8 x 50mm	9341229003399	1,000/4,000



## MegaFix® Self Embed Head Self Drill Point Screws

Fibre Cement to 0.8 - 3.6mm Thick Metal Screw.

8CSD20	Fine/Zinc	8 x 20mm	9341229003337	1,000/12,000
8CSD30	Fine/Zinc	8 x 30mm	9341229003344	1,000/8,000



## MegaFix® Self Embed Head Wing Tek Screws

Fibre Cement to Light Gauge Metal Screw. ProtecX® coated for Class 4 corrosion resistance.

8CSW22	Fine/Class 4	8 x 22mm	9341229003405	1,000/10,000
8CSW32	Fine/Class 4	8 x 32mm	9341229003412	1,000/8,000
8CSW45	Fine/Zinc	10 x 45mm	9341229003429	500/2500



## MegaFix® Flower Head Wing Tek Screws

Fibre Cement to Timber or Light Gauge Metal Screw. Flower head design for low profile and superior self-embedding. ProtecX® coated for Class 4 corrosion resistance.

8FW445	Fine/Class 4	10 x 45mm	9341229010588	500/2500
8FW465	Fine/Class 4	10 x 65mm	9341229010601	500/2,000



## MegaFix® Flower Head Type 17 Point Screws

Fibre Cement to Timber or Light Gauge Metal Screw. Type 17 point forms thread cutting action into Timber eliminating Timber expansion and minimising Timber splitting. Flower head design for low profile and superior self-embedding. ProtecX® coated for Class 4 corrosion resistance.

8FHTC420	Fine/Class 4	8 x 20mm	9341229010649	1,000/12,000
8FHTC425	Fine/Class 4	8 x 25mm	9341229009247	1,000/8,000



## MegaFix® Flower Head Self Drill Point Screws



Fibre Cement to 0.8 - 3.6mm Thick Metal Screw. Flower head design for low profile and superior self-embedding. ProtecX® coated for Class 4 corrosion resistance.

Code	Description	Size (mm)	CTN Barcode	CTN QTY
8FHDC425	Fine/Class 4	8 x 25	9341229009230	1,000/8,000
8FHDC41025	Fine/Class 4	10 x 25	9341229012278	1,000/8,000

## MegaFix® Hex Head Self Drill Point Screws



Metal to 0.8 - 4.4mm Thick Metal Screws.

8HXD16	Fine/Zinc	10 x 16	9341229223094	1,000/6,000
8HXD20	Fine/Zinc	12 x 20	9341229003528	1,000/6,000
8HXD35	Fine/Zinc	12 x 35	9341229223100	1,000/5,000
8HXD45	Fine/Zinc	12 x 45	9341229223117	1,000/5,000



## MegaFix® Ring Shank Nails

Drywall to Soft Timber Nails. Dished Lattice Head.

7RG30T	Gold Passivated	2.8 x 30	9341229007915	2kg
--------	-----------------	----------	---------------	-----



## MegaFix® Staples

Heavy Duty staples for fixing external angles and PVC mouldings, featuring electro galvanised chisel points. Universal design fits Intex and other common staple gun brands.

9SA08	Chisel Point (2,000 Pack)	8	9341229018492	40
9SA08B	Chisel Point (5,000 Pack)	8	9341229018522	20
9SA10	Chisel Point (2,000 Pack)	10	9341229018508	40
9SA10B	Chisel Point (5,000 Pack)	10	9341229018539	20



## MegaFix® Hex Head Screw Anchors

Heavy Duty anchor designed to fix track to masonry without isolation.

Code	Description	Size (mm)	CTN Barcode	CTN QTY
9HA643	Zinc	6 x 43	9341229223308	100
9HA650	Zinc	6 x 50	9341229227894	100
9HA660	Zinc	6 x 60	9341229223315	100
9HA860	Zinc	8 x 60	9341229228839	100



## MegaFix® Threaded Head Screw Anchors

Heavy Duty anchor with thread designed to provide fixing point from Concrete.

9TA635	Zinc	6 x 35	9341229229751	100
--------	------	--------	---------------	-----



## MegaFix® Threaded Head Pin Anchors

Heavy Duty anchor with thread designed to provide fixing point from Concrete. Designed for use with Powder Actuated tools.

9PA635	Zinc	6 x 52	9341229229942	100
--------	------	--------	---------------	-----



## MegaFix® Qubit360® Hex Head Screw Anchors

Patented anchor for use in Concrete fixing with the Qubit360® Total Frame Isolation System, designed to effectively isolate, deflect and accommodate torsion, in-plane and out-of-plane movement inside buildings.

9HA63045	30mm Flange (isolation)	6 x 45	9341229228952	100
9HA83060	30mm Flange (isolation)	8 x 60	9341229227849	100



## MegaFix® Qubit360® Hex Head Self Drill Anchors

Unique patented Series 500 anchor for use in metal fixing with the Qubit360® Total Frame Isolation System, designed to effectively isolate, deflect and accommodate torsion, in-plane and out-of-plane movement inside buildings.

9HD83035	30mm Flange (isolation)	8 x 35	9341229229850	100
----------	-------------------------	--------	---------------	-----



### MegaFix® Qubit360® Hex Head Threaded Bolts

Unique patented bolt for use in the Building Code compliant Qubit360® Total Frame Isolation System, designed to effectively isolate, deflect and accommodate torsion, in-plane and out-of-plane movement of partition walls inside buildings.

Code	Description	Size (mm)	CTN Barcode	CTN QTY
9HB83025	30mm Flange (isolation)	8 x 25	9341229227863	100



### MegaFix® Qubit360® Isolation Anchor Sleeve

Unique patented bolt for use in the Building Code compliant Qubit360® Total Frame Isolation System, designed to effectively isolate, deflect and accommodate torsion, in-plane and out-of-plane movement of external building facades.

Code	Description	Size (mm)	CTN Barcode	CTN QTY
9NH1030	Nylon	10 x 30	9341229226637	100



### MegaFix® Suspension Anchors

Designed to provide rod suspension from Concrete.

9S625	Sleeve Type	6.5 x 25	9341229000640	100/1,000
9S640	Sleeve Type	6.5 x 40	9341229000657	100/1,000



9S660	Wedge Type	6 x 60	9341229000633	100/2,000
-------	------------	--------	---------------	-----------



9ELC75*	Timber Eye Lag Screw	12 x 75	9341229229652	100/1,000
---------	----------------------	---------	---------------	-----------



9ESD22*	Steel Purlin Eye Lag Screw	14 x 22	9341229229669	100/1,000
---------	----------------------------	---------	---------------	-----------

\*Only Available in NZ

## MegaFix® Nylon Anchors

Flexible Mushroom head nylon body with yellow zinc coated Steel nail, provides easy yet secure fixing into Concrete and masonry.



Code	Description	Size (mm)	CTN Barcode	CTN QTY
9N525M	5mm	25	9341229003924	100/1,000
9N540M	5mm	40	9341229003948	100/1,000
9N625M	6.5mm	25	9341229003962	100/1,000
9N640M	6.5mm	40	9341229003986	100/1,000
9N650M	6.5mm	50	9341229004006	100/1000
9N675M	6.5mm	75	9341229004013	50/500



## MegaFix® Metal Anchors

All metal Mushroom head construction designed to provide an easy yet secure fixing into Concrete and masonry. Corrosion resistant anchor with superior holding power and fire resistance.

9M632	6.5mm	32	9341229000602	100/2,000
9M650	6.5mm	50	9341229003870	100/1,000

## MegaFix® Insulation Washered Drive Pins

Insulation to Steel or Concrete pin.



9IW25	Galvanised - Ø60mm	25 x 37	9341229014791	300
9IW30	Galvanised - Ø60mm	30 x 42	9341229014807	300
9IW35	Galvanised - Ø60mm	35 x 52	9341229014814	300
9IW40	Galvanised - Ø60mm	40 x 52	9341229014821	300
9IW50	Galvanised - Ø60mm	50 x 52	9341229014838	300
9IW60	Galvanised - Ø60mm	60 x 52	9341229014845	200
9IW70	Galvanised - Ø60mm	70 x 52	9341229222073	200
9IW75	Galvanised - Ø60mm	75 x 52	9341229014852	200
9IW80	Galvanised - Ø60mm	80 x 52	9341229222080	200
9IW90	Galvanised - Ø60mm	90 x 52	9341229222097	200
9IW100	Galvanised - Ø60mm	100 x 52	9341229014869	200

### MegaFix® Concrete Washer Drive Pins



Fine shank masonry nail for fixing to Concrete. Plastic washer holds pin firmly in tool. Top hat ensures fast and accurate installation.

Code	Description	Size (mm)	CTN Barcode	CTN QTY
9DW25	25mm	8	9341229000565	100/2,000


### MegaFix® Angle Clip Assemblies



Fine shank masonry nail for fixing to Concrete with angle bracket for suspension rod hang point. Plastic washer holds pin firmly in tool. Top hat ensures fast and accurate installation.

9AC25	25mm	8	9341229000541	100/1200
-------	------	---	---------------	----------

### MegaFix® Concrete Collated Drive Pins



Fine shank nails for fixing to Concrete. Designed for use with most standard magazine equipped Powder Actuated tools.

9XM22	Collated Strip (10 Pins)	8 x 22	9341229229898	100/10,000
9XM27	Collated Strip (10 Pins)	8 x 27	9341229229904	100/10,000
9XM32	Collated Strip (10 Pins)	8 x 32	9341229229911	100/10,000
9XM52	Collated Strip (10 Pins)	8 x 52	9341229229928	100/10,000
9XM72	Collated Strip (10 Pins)	8 x 72	9341229229935	100/10,000

### MegaFix® Power Actuated Load Strips



Winchester .27 Calibre loads with 10 charges. Suits Intex AP360, Hilti DX350, DX36M, DX450, DXA40, DXA41, Ramset S75A, Powers R3500, BETO200, EXP360.

9P1R	Red - High	8 x 25	9341229000619	100/10,000
9P1Y	Yellow - Medium	8 x 25	9341229000626	100/10,000



## MegaFix® Driver Bits

Hardened and heat treated PH2 bits designed to drive screws. Suit standard 6.5mm hex holders.

Code	Description	Size (mm)	Unit Barcode	CTN QTY
9ST35	Phillips Head (4 Pack)	6.5 x 132mm	9341229004204	1/50
9ST55	Phillips Head (4 Pack)	6.5 x 157mm	9341229004242	1/50



Hardened and heat treated PH2 bit tip designed to suit standard 6.5mm hex holders.

9STS	Phillips Head (10 Pack)	6.5 x 25mm	9341229001081	1/50
------	-------------------------	------------	---------------	------



## MegaFix® Driver Adaptor

PH2 bit assembled with collar designed to drive screws to present depth and draw Drywall paper in evenly.

9S039	Phillips Head Adaptor (4 Pack)	23	9341229001067	1/24
-------	--------------------------------	----	---------------	------



## MegaFix® Hex Socket Driver

Hardened and heat treated magnetic bit designed driving hex head screws. Suit standard 6.5mm hex holders.

9HS08	Magnetic (2 Pack)	8 x 42	9341229003788	1/24
-------	-------------------	--------	---------------	------



**MegaFix® Eye Socket Driver**

Code	Description	Size (mm)	Unit Barcode	CTN QTY
9ESD08*	Magnetic	8 x 42	9341229229676	1/24

\*Only Available in NZ



**MegaFix® Countersinking Drill Bits**

Manufactured with quality carbide tip to ensure long life and designed for use with cement sheet.

9CS66	Welded Stop	80	9341229009742	1/24
-------	-------------	----	---------------	------



**MegaFix® Multi-fit Masonry Drill Bits**

Multi-fit design for use with rotary hammer drills using SDS or SDS Plus drill bits. Manufactured with chrome vanadium Steel and tungsten alloy carbide tips for accuracy, speed and longevity.

9D50110	SDS Plus - 5mm	50 x 110mm	9341229001562	1/50
9D50160	SDS Plus - 5mm	110 x 160mm	9341229003689	1/50
9D55110	SDS Plus - 5.5mm	50 x 110mm	9341229003696	1/50
9D55160	SDS Plus - 5.5mm	110 x 160mm	9341229003702	1/50
9D60110	SDS Plus - 6mm	50 x 110mm	9341229001579	1/50
9D60160	SDS Plus - 6mm	110 x 160mm	9341229003719	1/50
9D65110	SDS Plus - 6.5mm	50 x 110mm	9341229001586	1/50
9D65160	SDS Plus - 6.5mm	110 x 160mm	9341229003726	1/50
9D80110	SDS Plus - 8mm	50 x 110mm	9341229003733	1/50
9D80160	SDS Plus - 8mm	110 x 160mm	9341229003740	1/50



# 50



# Sealants & Adhesives

## BlazeBlocker® Fire & Acoustic Rated Sealants

Designed for sealing gaps and service penetrations in plasterboard, masonry, timber, Hebel and Speedpanel/Speedwall applications. Highly flexible formula allows for up to 40% movement. Paintable material is odourless and cleans up with water. Designed to meet Building Code and complies with AU/NZ standards.

Code	Description	Colour	Volume	Unit Barcode	CTN QTY
6FR6G2	Sausage	Grey	600ml (20.2oz)	9341229007168	20/1040
6FR6W2	Sausage	White	600ml (20.2oz)	9341229007205	20/1040



## MegaGrip® Spray Adhesives

Premium grade aerosol for applying PVC and Paper Beads to drywall. Also features effective adhesion on MDF, plywood, metals, and many plastic varieties. Designed to meet Building Code and complies with AU/NZ standards.

6SA500	Can	Red	500ml (17oz)	9341229018409	12
--------	-----	-----	--------------	---------------	----



## MegaGrip® Stud Adhesives

Premium grade acrylic adhesive for bonding all brands of plasterboard to timber and metal wall and ceiling framing members. Designed to meet Building Code and complies with AU/NZ standards.

6TSA52	Tub	Blue	5.2kg	9341229000039	1/180
--------	-----	------	-------	---------------	-------

## MegaGrip® Stud Adhesives Cont'

Premium grade acrylic adhesive for bonding all brands of plasterboard to timber and metal wall and ceiling framing members. Designed to meet Building Code and complies with AU/NZ standards.

Code	Description	Colour	Volume	Unit Barcode	CTN QTY
6TSA08	Sausage	Blue	850g	9341229012247	20/960



## BlazeBlocker® Isolation Fire Seal Tapes

Unique expanding foam tape for use in fire applications when using the Building Code compliant Qubit360™ Total Frame Isolation System. Quicker and easier to install than fire sealant, suitable for use in all cavity applications and compensates greater movement whilst maintaining integrity. Complies with AU/NZ standards.



Code	Description	Material	Size	Unit Barcode	CTN QTY
6FS253	Roll	Foam	25mm x 3m	9341229226668	8
6FS353	Roll	Foam	35mm x 3m	9341229226675	8
6FS453	Roll	Foam	45mm x 3m	9341229226682	8
6FS923	Roll	Foam	92mm x 3m	9341229227610	8

\*Actual product may vary.





# PROFORM®

Professional Formula

## ULTRA LITE®

All Purpose Joint Compound

- Up to 40% lighter than conventional-weight joint compound
- Excellent for all phases of finishing
- Sands and finishes with ease
- Enhanced mold protection

- Hasta un 40% más ligero que los compuestos tradicionales
- Excelente para cualquier fase del terminado
- Fácil de aplicar y de lijar
- Protección adicional contra el moho

**MOLD RESISTANT**  
RESISTENTE AL MOHO

SAME GREAT PRODUCT!  
PAUL CONTAINS  
30% POST-CONSUMER  
RECYCLED PLASTIC

# PROFORM®

Professional Formula

## ULTRA LITE®

All Purpose Joint Compound

- Up to 40% lighter than conventional-weight joint compound
- Excellent for all phases of finishing
- Sands and finishes with ease
- Enhanced mold protection

**MOLD RESISTANT**  
RESISTENTE AL MOHO

SAME GREAT PRODUCT!  
PAUL CONTAINS  
30% POST-CONSUMER  
RECYCLED PLASTIC

# Compounds & Tapes



## Ultra Lite Joint Compounds

Ultra-Lightweight, easy to apply and sand pre-mixed compound, used as a base and or topping coat (*all phases of finishing*) when jointing plasterboard or fibre cement sheet. Unique formula weighs up to 40% less than standard pre-mixed compound. Designed to meet Building Code and complies with AU/NZ standards.

Code	Description	Volume	Unit Barcode	CTN QTY
CAB18LG	Bucket	18kg (17L)	9341229225739	1/45
CAC14LG	Carton	14kg (13L)	9341229225746	1/64



## Lite Blue Joint Compounds

Lightweight, easy to apply and sand pre-mixed compound, used as a topping coat when jointing plasterboard or fibre cement sheet. Unique formula weighs up to 30% less than standard pre-mixed compound and reduces shrinkage up to 33%. Designed to meet Building Code and complies with AU/NZ standards.

CTB20LB	Bucket	18kg (17L)	9341229225753	1/45
CTC14LB	Carton	14kg (13L)	9341229225760	1/64



## Multi-Use Joint Compounds

Easy to apply pre-mixed compound, used as a base and or topping coat (*all phases of finishing*) when jointing plasterboard or fibre cement sheet. Designed to meet Building Code and complies with AU/NZ standards.

CMB24R	Bucket	24kg (17L)	9341229225791	1/36
CMC22R	Carton	22.5kg (13L)	9341229225807	1/48



## All Purpose Joint Compounds

Easy to apply pre-mixed compound, used as a base or topping coat when jointing plasterboard or fibre cement sheet. Small bucket is ideal for DIY and repair work. Designed to meet Building Code and complies with AU/NZ standards.

CAB5B	Bucket	5kg (3.8L)	9341229225777	1/144
CAB28B	Bucket	28kg (26.4L)	9341229225784	1/45

\*Lead times may apply.



## Taping Compounds

Easy to apply pre-mixed compound, used as a base coat when taping plasterboard or fibre cement sheet joints. Unique formula reduces shrinkage and provides superior tape adhesion and joint strength. Designed to meet Building Code and complies with AU/NZ standards.

Code	Description	Unit Barcode	CTN QTY
CBB28B*	Bucket 28kg (17L)	9341229225814	1/45

\*Lead times may apply.



## Cornice Adhesive Compounds

Easy to mix and apply chemically setting compound adhesive, used for bonding cove cornice to plasterboard surfaces. Designed to meet Building Code and complies with AU/NZ standards.

Code	Description	Time to set	Unit Barcode	CTN QTY
CCB0545	Bag 20kg	45 min	9341229225951	1/60
CCB2090	Bag 20kg	90 min	9341229225944	1/60



## Base Joint Compounds

Easy to mix and apply chemically setting compound, used as base coat when jointing plasterboard or fibre cement sheet. Designed to meet Building Code and complies with AU/NZ standards.

CBB2040	Bag 20kg	40 min	9341229014876	1/60
CBB2060	Bag 20kg	60 min	9341229014883	1/60
CBB2090	Bag 20kg	90 min	9341229225838	1/60



## Compound Additives

Specially formulated liquid to reduce pock marks and air bubbles on all coats. Reduces compound usage requiring fewer passes as well as shrinkage requiring less water. One bottle treats over 300L of joint compound mix.

Code	Description	Volume	Unit Barcode	CTN QTY
6NP64	No-Pock-Pro*	1.9L (64oz)	9341229019987	1/2



Powder used as a retarder to extend pliable texture of compound before it becomes set.

6C02	Citric Acid	200g (7oz)	9341229002613	1
------	-------------	------------	---------------	---

## PlasterX® Paper Joint Tapes

High strength fibred paper eliminates cracking and features spark perforations for superior adhesion. Centre crease provides easy and accurate corner application. Designed for use with both automatic and hand application tools.



Code	Description	Size	Unit Barcode	CTN QTY
5PT75S	Original Joint Tape	52mm x 75m	9341229002514	20/1260
5PT150S	Original Joint Tape	52mm x 150m	9341229002491	10/700



Designed for use in wet areas or as a repair tape where humidity causes paper joint tape on flat and internal corner joints to fail. Twice as strong as paper joint tape, unaffected by water, resists blisters and eliminates cracking.

5TT30	StraitFiex Tuff Joint Tape	50mm x 30.5m	656690123514	1/12
-------	----------------------------	--------------	--------------	------



Creates internal and external 90° and off-angle corners, replacing corner beads and saving compound, installation and sanding time. Straightens common framing irregularities. Twice as strong as paper joint tape, eliminates cracking and features slotted perforations for superior adhesion.

5SF30	StraitFiex Original Corner Tape	60mm x 30.5m	656690123507	1/12
-------	---------------------------------	--------------	--------------	------



Creates internal 90° and off-angle corners, replacing corner beads and saving compound, installation and sanding time. Straightens minor framing irregularities. Twice as strong as paper joint tape, eliminates cracking and features slotted perforations for superior adhesion.

5SFM30	StraitFlex Medium Corner Tape	58mm x 30.5m	656690125563	1/12
--------	-------------------------------	--------------	--------------	------

## PlasterX® Fibreglass Joint Tapes

Self-adhesive mesh material resists edge fraying and air bubbles and eliminates pre-filling, saving compound and installation time. Designed for use in minor flat joint applications or as a repair tape.



5FT20	Self-Adhesive Mesh	50mm x 20m	9341229002354	72
5FT90R	Self-Adhesive Mesh	50mm x 90m	9341229001005	24/672


## Fibre Joint Tapes



Open-fibre material provides superior adhesion and is twice as strong as paper joint tape, eliminating cracking and resisting air bubbles. Designed for use in flat joint applications or as a repair tape and is installed with automatic or hand applications tools.


Code	Description	Size	Unit Barcode	CTN QTY
5FF76	FibaFuse Tape	52mm x 76m	038662931172	20

## Structural Corner Tapes



Paper-faced and laminated composite material designed replace metal or PVC profiles and traditional joint tape, flex to any degree and finish any internal or external corner.

SXM30	StraitFlex Medium	76mm x 30.5m	656690123729	1/12
UFL100	NoCoat Light	82mm x 30.5m	800805116926	1/10
UFX100	NoCoat Original	115mm x 30.5m	800805116919	1/4



## PlasterX® Repair Patches

Self-adhesive design with perforated aluminium sheet and fibreglass mesh.

5RP01	Small	100 x 100mm	9341229007045	1/500
5RP02	Medium	150 x 150mm	9341229007052	1/500



304  
AISI  
304 - 18%  
Stainless Steel  
200mm x 127

# 70



# Tools & Accessories

## Useit® Original SuperPad Abrasives

High performance original German design featuring uniform wearing, fatigue free working, elimination of build-up and clogging, resistance of swirl marks and dishing.



Code	Description	Grit	Unit Barcode	CTN QTY
5SD120	Jost® 225mm Velcro Disc (5 Pack)	120	9341229001241	1/25
5SD150	Jost® 225mm Velcro Disc (5 Pack)	150	9341229001258	1/25
5SD180	Jost® 225mm Velcro Disc (5 Pack)	180	9341229001265	1/25
5SD220	Jost® 225mm Velcro Disc (5 Pack)	220	9341229001272	1/25
5SD040B	Jost® 225mm Velcro Disc (25 Pack)	40	9341229014371	1
5SD060B	Jost® 225mm Velcro Disc (25 Pack)	60	9341229014388	1
5SD120B	Jost® 225mm Velcro Disc (25 Pack)	120	9341229014203	1
5SD150B	Jost® 225mm Velcro Disc (25 Pack)	150	9341229014210	1
5SD180B	Jost® 225mm Velcro Disc (25 Pack)	180	9341229014227	1
5SD220B	Jost® 225mm Velcro Disc (25 Pack)	220	9341229014234	1



## Useit® Trade SuperPad Abrasives

Economical design featuring unique 'snake-pattern' porthole perforations for uniform wearing, fatigue free working, elimination of build-up and clogging, resistance of swirl marks and dishing.

5SP120B	225mm Velcro Disc (25 Pack)	120	9341229017266	1/4
5SP150B	225mm Velcro Disc (25 Pack)	150	9341229017150	1/4
5SP180B	225mm Velcro Disc (25 Pack)	180	9341229017129	1/4
5SP220B	225mm Velcro Disc (25 Pack)	220	9341229017099	1/4



## Useit® Ceramic Mesh SuperPad Abrasives

High performance design featuring thousands of portholes for uniform wearing, fatigue free working, elimination of build-up and clogging, resistance of swirl marks and dishing.

5SD150CB	Jost® 225mm Ceramic Disc (25 Pack)	150	9341229229041	1/25
5SD180CB	Jost® 225mm Ceramic Disc (25 Pack)	180	9341229229058	1/25
5SD220CB	Jost® 225mm Ceramic Disc (25 Pack)	220	9341229229065	1/25



## PlasterX® Sandpaper Sheets

5P12S10	Slotted (10 Pack)	305 x 85mm	120	9341229014715	1/100
5P15S10	Slotted (10 Pack)	305 x 85mm	150	9341229014739	1/100
5P18S10	Slotted (10 Pack)	305 x 85mm	180	9341229014753	1/100
5P12L10	Slotted (10 Pack)	374 x 108mm	120	9341229014708	1/50
5P15L10	Slotted (10 Pack)	374 x 108mm	150	9341229014722	1/50
5P18L10	Slotted (10 Pack)	374 x 108mm	180	9341229014746	1/50



## PlasterX® Sandmesh Sheets

Wet and dry design with aluminium oxide grain for clogging resistance.

Code	Description	Size (mm)	Grit	Unit Barcode	CTN QTY
5M15S10	Slotted (10 Pack)	305 x 85	150	9341229014678	1/50
5M22S10	Slotted (10 Pack)	305 x 85	220	9341229014692	1/50
5M15L10	Slotted (10 Pack)	374 x 108	150	9341229014661	1/50
5M22L10	Slotted (10 Pack)	374 x 108	220	9341229014685	1/50

## PlasterX® Foam Sanding Blocks

Wet and dry design for both flat and contour sanding.

SFM04	Square Edge	98 x 69 x 26	60	9341229005980	48
SFM49	Large Square Edge	225 x 77 x 26	80	9341229006,000	12

Wet and dry design for internal corner sanding with tapered edge eliminating scuffing the opposite wall.

SFM05	Angled Sides	98 x 69 x 26	100	9341229005997	30
SFM59	Large Angle Sides	127 x 75 x 26	80	9341229006017	28

Wet and dry design for internal corner sanding with tapered edges and two radius edges eliminating scuffing the opposite wall.

SFM88TT	Angled Sides/Radius Edge	127 x 75 x 26	100	726372028854	100
---------	--------------------------	---------------	-----	--------------	-----

## Fibre Cement Cutting Blades

Hardened steel cutting blade for cutting all densities and thicknesses of compressed and fibre cement sheet.

5TB184	PCD TurboBlade™	20	184mm (7.5")	9341229009759	1/25
5TB165	PCD TurboBlade™	20	165mm (6.5")	9341229223476	1/25

## Cutting Wheels

Reinforced flat wheel for cutting metal.

Code	Description	Bore Size (mm)	Diameter	Unit Barcode	CTN QTY
5W356	Standard	25.4	350mm (14")	9341229002583	1/25

High performance reinforced wheel with depressed centre for cutting stainless steel and metal.

5WUT100	Ultra Thin	16	100mm (4")	9341229018188	100
5WUT115	Ultra Thin	22	115mm (4.6")	9341229018195	100
5WUT125	Ultra Thin	22	125mm (5")	9341229002668	100



## GHOST™ 2 Sander & Accessories

Lightest drywall sander in the world, featuring high performance engineering, designed to provide efficient and flawless sanding of plasterboard walls and ceilings, whilst extracting dust as its generated.

Code	Description	Unit Barcode	CTN QTY
AGHOST2	550W 110 - 230V 650-1600RPM (Inc. Hose, Bag & Pad)	9341229224855	1
AGHBAG	Sniper Carry Bag	9341229222394	1
AGH64	Extension Bar	9341229225517	1
AGH58	Adaptor Pad	9341229222035	1
AG001	Sander to Vac Anti-Static Hose x 4m (Inc. Fittings)	9341229008059	1



AGHOST2



AG001



AGH58



AGHBAG



AGH64

## GHOST™ 2 Sander Spare Parts

AG001B	Hose Connector 32mm - Vac End	9341229008073
AG001C	Hose Connector 32mm - Sander End	9341229008080
AG002	Quick Release Hose Connector	9341229008097
AGH02	Power Supply Cable with Cord Armor	9341229220611
AGH08	Switch Panel	9341229221038
AGH11	Emi Unit	9341229221120
AGH17	Drive Electronics Board	9341229221236
AGH28	Rotor Bearing (608)	9341229221526
AGH37	Head Bearing (6002)	9341229221717
AGH45	Connection Cable	9341229221908

AGH57	Sanding Plate Base	9341229222028
AGH58	Adaptor Pad	9341229222035
AGH162	Repair Kit Main Housing Incl Screws	9341229226330
AGH163	Repair Kit Handle Covers Incl Screws	9341229226323
AGH164	Repair Kit Head Hose Set	9341229226316
AGH165	Repair Kit Support Arms Incl Screws	9341229226286
AGH166	Repair Kit Brush Skirt Set	9341229221212
AGH167	Repair Kit Sanding Cover Base Incl Springs	9341229227962
AGH169	Repair Kit Pivot Bracket Set	9341229226309
AGH173	Repair Kit Complete Motor	9341229226293

## Power Sander & Accessories

Industrial Grade original drywall sander, designed to provide efficient and flawless sanding of plasterboard walls and ceilings, whilst extracting dust as its generated. Also suited for use on other surface applications, including concrete and timber.

Code	Description	Unit Barcode	CTN QTY
AG700	550W 230V 650-1600RPM (Inc. Hose & Pad)	9341229004419	1
AS280984	Carry Bag	9341229004686	1
AG066B	Adaptor Pad	9341229008806	1
AG001	Sander to Vac Anti-Static Hose x 4m (Inc. Fittings)	9341229008059	1



## Power Sander Spare Parts

AG172	Repair Kit Head Pivot Screw (2 Pack)	9341229224459	AG063	Hose Clamp	9341229008769
AG171	Repair Kit Carbon Brush Holder (2 Pack 6 Pcs)	9341229224442	AG060	Spring A	9341229008738
AG170	Repair Kit Drive Spindle (3 Pcs)	9341229224435	AG050	Drive Cable Casing	9341229008639
AG165	Repair Kit Head Bracket Incl Screws (5 Pcs)	9341229224381	AG049	Secondary Drive Cable	9341229008622
AG173	Repair Kit Motor	9341229008912	AG044	Drive Shaft Bearing 6001	9341229008578
AG168	Repair Kit Gear Case Incl Spindle (17 Pcs)	9341229224411	AG040	Extension Shaft	9341229008509
AG167	Repair Kit Drive Bearing Cover Incl Screws (7 Pcs)	9341229224404	AG026	Armature	9341229008363
AG166	Repair Kit Head Bracket Single Locking Set (3 Pcs)	9341229224398	AG025	Armature Bearing 608	9341229008356
AG169	Repair Kit Head Bearing Housing Set (6 Pcs)	9341229224428	AG023	Stator	9341229008332
AG164	Repair Kit Complete Head Hose (3 Pcs)	9341229224374	AG015A	Rocker Switch	9341229008240
AG163	Repair Kit Handle Cover Incl Screws (9 Pcs)	9341229224367	AG013	Carbon Brush Pair	9341229008202
AG162	Repair Kit Motor Cover Incl Screws (8 Pcs)	9341229224350	AG012	Speed Control	9341229008196
AG073	Dust Guide	9341229008875	AG004	Power Supply Cable	9341229008110
AG072	Pivot Base	9341229008868	AG002	Quick Release Hose Connector	9341229008097
AG066A	Sanding Plate Base	9341229008790	AG001B	Hose Connector 32mm - Vac End	9341229008073
AG064	Sanding Plate Cover	9341229008776	AG001C	Hose Connector 32mm - Sander End	9341229008080

## starmix® NSG Dust Extractors

Industrial Grade wet and dry extractor specifically designed for fine dust filtration (i.e. plaster dust) with huge 7,200cm<sup>2</sup> polyester filters providing 99.995% dust retention.



AISC25L

Code	Description	Unit Barcode
AISC25L	Plastic - 25L 1400W 220-240V (Ex. Hose & Acc.)	9341229229867

ANSG1435	Stainless - 35L 1400W 220-240V (Ex. Hose & Acc.)	9341229015071
ANSG1435A*	Stainless - 35L 1400W 220-240V (Inc. Hose & Acc.)	9341229015088

\*Only Available in NZ

## starmix® NSG Accessories




ANSG1435A\*

AS901007	Plastic Accessory Kit - 6 Piece	9341229222172
AS901001	VacHose (Inc. Fittings) 35mm Diameter x 3.2m	9341229222189
AS413235	Suction Hose (Anti-Static) Ø35mm x 5m	9341229222196
AS426594	Rotating Bayonet 35mm - Vac End	9341229222202
AS425733	Rotatable Hose Cuff 35mm - Acc End	9341229222219
AS413082	Pre-Filter Sac Cloth	9341229222226
AS442761	Fleece Dust Bag Round Canisters 30-35L (Pack of 5)	9341229222233
AS413297	Wet-Use Foam Filter Pocket	9341229222240
AS413372	Polyester Filter (M Class Cert)	9341229222257
AS414171	HEPA Filter (H Class Cert)	9341229222264
AS901007S	Stainless Steel Accessory Kit - 6 Piece	9341229225586
AS011462	Drill Dust Extractor	9341229222325
AS424859	Plastic Suction Pipe Ø35mm x 50cm (2pcs)	9341229222332
AS424842	Stainless Suction Pipe Ø35mm x 50cm (2pcs)	9341229222349
AS424804	Plastic Tube Handle Inc. Air Slide Ø35mm	9341229222363
AS421445	Stainless Tube Handle Inc. Air Slide Ø35mm	9341229222370
AS440941	Floor Nozzle 30cm	9341229222387

## starmix® NSG Spare Parts

AS577937	Power Cord	9341229226156
AS441030	Hood Set	9341229226163
AS441078	PC Board Set (Inc AS446752)	9341229226170
AS441092	Control Panel Set	9341229226187
AS446752	Switch	9341229226194
AS411422	Plastic Float	9341229226200
AS441139	Lower Housing Set	9341229226279

AS721255	Air Intake Filter	9341229227788
AS594521	Foam Insulation - Upper Housing	9341229227795
AS441115	Motor 1400W	9341229224275
AS594538	Foam Insulation - Lower Housing	9341229227801
AS413372	Pleated Filter Set - Polyester	9341229222257
AS441123	Upper Housing Set	9341229227818
AS441191	Filter Screw	9341229227825
AS547947	Electric Socket	9341229227832



View Parts  
intexinternational.com

### starmix® iPulse Dust Extractors



Ultra Industrial Grade wet and dry extractor with self-cleaning technology during machine operation, eliminating downtime and intake flow interruptions. Twin polyester cartridge filters designed for the most demanding dust filtration, providing 99.9% dust retention. High speed motor generates 64 litres/sec air flow and 259mbar (3.8psi) suction.

Code	Description	Unit Barcode
AISP35M	M-Class 35L 1600W 220-240V (Inc. Hose & Acc.)	9341229018171

### starmix® iPulse Accessories



M-Class featuring Storage Box

AS901007	Plastic Accessory Kit - 6 Piece	9341229222172
AS901001	VacHose (Inc. Fittings) Ø35mm x 3.2m	9341229222189
AS413235	Suction Hose (Anti-Static) Ø35mm x 5m	9341229222196
AS426594	Rotating Bayonet 35mm - Vac End	9341229222202
AS425733	Rotatable Hose Cuff 35mm - Accessory End	9341229222219
AS901007S	Stainless Steel Accessory Kit - 6 Piece	9341229225586
AS411231	Fleece Dust Bag 25-35L (Pack of 5)	9341229222271
AS425764	Polythene Bag 25 & 35L	9341229222295
AS416069	Polyester Filter (M Class Cert)	9341229222301
AS419190	HEPA Filter (H Class Cert)	9341229222318
AS011462	Drill Dust Extractor	9341229222325
AS444451	Stackable Storage Boxes	9341229223551
AS445106	Storage Box Mounting Set (Left & Right)	9341229223544
AS424859	Plastic Suction Pipe Ø35mm x 50cm (2pcs)	9341229222332
AS424842	Stainless Suction Pipe Ø35mm x 50cm (2pcs)	9341229222349
AS424804	Plastic Tube Handle Inc. Air Slide Ø35mm	9341229222363
AS421445	Stainless Tube Handle Inc. Air Slide Ø35mm	9341229222370
AS440941	Floor Nozzle 30cm	9341229222387

### starmix® iPulse Spare Parts

AS444918	Motor (1600W)	9341229224282
AS444741	PC Board (M + H Class)	9341229226217
AS614922	Vibrating Magnet	9341229226224
AS625621	Pull Magnet	9341229226231
AS444789	Pull Magnet Actuator	9341229226248

AS577937	Power Cord	9341229226156
AS441320	Complete Canister Inc. Wheels	9341229226255
AS408408	Front Castor	9341229226262



View Parts  
intexinternational.com

## Dustless Sanding Solution Combos



Code	Description	Unit Barcode	CTN QTY
ASP330	AG700 & starmix® Plastic Combo	9341229229874	1



ASP320	AG700 & starmix® Stainless Combo	9341229223513	1
ASP320A*	AG700 & starmix® Stainless Combo (Inc. Acc)	9341229229775	1

\*Only Available in NZ.



AGP330	GHOST™ & starmix® NSG Plastic Combo	9341229229881	1
--------	-------------------------------------	---------------	---



AGP320	GHOST™ & starmix® NSG Stainless Combo	9341229223506	1
AGP320A*	GHOST™ & starmix® Stainless Combo (Inc. Acc)	9341229229799	1

\*Only Available in NZ.



### Dustless Sanding Solution Combos Cont'

Code	Description	Unit Barcode	CTN QTY
ASP35M	AG700 & starmix® ISP M-Class Combo	9341229222158	1



AGP35M	GHOST™ & starmix® ISP M-Class Combo	9341229223520	1
--------	-------------------------------------	---------------	---



### MegaMixer® Power Mixers

Industrial Grade construction and high performance engineering, suited for mixing light mixtures including plaster, paint, grout and low viscosity adhesives. Not suited for render mixtures.

AMX110	Power Mixer Drill 1050W - 230V (Inc. Rod)	9341229010755	1/4
--------	---	---------------	-----

Industrial Grade construction and high performance engineering, suited for mixing light or heavy mixtures including plaster, paint, grout and low viscosity adhesives. Not suited for render mixtures.

AMX620	Power Mixer 1600W - 230V (Inc. Rod)	9341229010762	1/2
--------	-------------------------------------	---------------	-----



### MegaMixer® Rods

Durable zinc plated construction designed for downward mixing action to help reduce air inclusion and lift aggregate, suited for compounds, epoxy, mortar, screed, adhesives and similar heavy viscous material.

ARN120	120mm (4.5") x 740mm (29") Downward M14	9341229222134	1
ARN140	140mm (5.5") x 740mm (29") Downward M14	9341229222141	1



### Graphite Powder Lubricant

Odourless and grease free powder lubricant for maintaining power tools.

6GR50	1.8oz (50g)	9341229224473	10
-------	-------------	---------------	----

## Automatic Tapers

Dispenses and applies joint tapes and compound simultaneously to any wall, ceiling or corner joint.  
Loads compound via the Loading Pump and Gooseneck Attachment.

Code	Description	Unit Barcode	CTN QTY
TIX900	Aluminium 1350mm (53")	9341229011899	1



## Taping Boxes

Holds 2.5kg of compound and up to 150m (500') paper tape rolls, dispensing and applying tape and compound simultaneously to flat joints. Corner roller attachment (THXP50) interchanges with the flat roller attachment to enable internal corner applications.

TX650	Classic Taping Box (Includes flat joint attachment only)	9341229001760	6
THXP50	Classic Taping Box corner roller attachment	9341229009933	12
TX650CA	Classic Taping Box (Includes corner attachment THXP50)	9341229012599	6




### Corner Finishing Boxes



Durable construction with USA billet aluminium and hardened steel components, with unique slimline nose code for effective operation in tight corners and spring-less hinged door design for ultimate cleaning efficiency.

Code	Description	Unit Barcode	CTN QTY
TIX830	Corner Applicator Finishing Box 203mm (8")	9341229011981	1

### Internal Corner Finishers



Distributes compound evenly in corners after the Corner Roller process, feathering both sides of slightly over or under 90° corners in one pass. Also used to wipe down excess compound after tape is rolled into corner.

TIX850	55mm (2")	9341229011936	1
TIX875	75mm (3")	9341229011943	1
TIX890	90mm (3.5")	9341229011950	1

### Corner Applicators



Applies joint compound as the pre-fill coat to internal corner joints before applying joint tape followed by a second coat. 2-wheel design is typically a little slower which some find provides better control than the 4-wheel.

TIS802	Internal - 2 Wheels 55mm (2")	9341229014180	1
TIS804	Internal - 4 Wheels 55mm (2")	9341229014197	1



Applies the correct amount of joint compound as the pre-fill coat to external corner joints before applying joint tape followed by a second coat.

TIS808	External - 8 Wheels 55mm (2")	9341229018942	1
--------	-------------------------------	---------------	---

### Flat Applicators



Applies the correct amount of joint compound as the pre-fill coat to flat and butt joints before applying tape.

TIS800	100mm (4")	9341229014173	1
--------	------------	---------------	---

## Glazers

Attaches to Universal Tool Handle to trowel pre-filled internal corners to a smooth feathered edge. Hand-finished precision ground and polished for durability and controlled flexibility with USA billet aluminium and steel components.



Code	Description	Unit Barcode	CTN QTY
TIS625	Standard - 65mm (2.5")	9341229014142	1
TIS630	Standard - 75mm (3")	9341229014159	1
TIS635	Standard - 90mm (3.5")	9341229014166	1

Fitted with compound outlet to apply additional compound while troweling pre-filled internal corners to a smooth feathered edge in conjunction with Corner Box or Compound Tube.



TIS525	Direct - 65mm (2.5")	9341229014111	1
TIS530	Direct - 75mm (3")	9341229014128	1
TIS535	Direct - 90mm (3.5")	9341229014135	1

## Corner Rollers

Adjusts to any internal or external angle from 85° to 180° with thumb indexer, embedding joint tape or corner bead. Precision ground for durability with USA billet aluminium and split hardened steel components, featuring integrated suspension conforming to surface. Attaches to Universal Tool Handle or can be used directly in hand.



TIX840	Adjustable Roller	9341229018980	1
--------	-------------------	---------------	---

Attaches to Universal Tool Handle with pivotable head to embed joint tape or corner bead into internal corners with Delrin roller wheels eliminating drag. Precision ground for durability with USA billet aluminium and split hardened steel components.



TIX810	Internal Roller	9341229011905	1
--------	-----------------	---------------	---

### BigMudda® Finishing Boxes

Durable construction with USA billet aluminium, hardened steel and brass components. Holds 40% more compound than traditional flat boxes. Features rubber O-Ring roller wheels with pivoting axle conforming to surface and running outside compound line, spring-less hinged door design for ultimate cleaning efficiency.



Code	Description	Unit Barcode	CTN QTY
TIX605	Outside Wheel - 140mm (5.5")	9341229000183	1
TIX608	Outside Wheel - 200mm (8")	9341229012049	1
TIX610	Outside Wheel - 250mm (10")	9341229012056	1
TIX612	Outside Wheel - 300mm (12")	9341229012063	1
TIX614	Outside Wheel - 355mm (14")	9341229014548	1

Inside track conversion Kits available (TIPITCK). See Page 86



### BigMudda® Finishing Boxes - Automatic

Fitted with automatic spring-loaded pressure mechanism, designed to make it 50% easier to push and dispense compound while running the box, which is engaged when wheels make contact with surface.

TIX508	Automatic Design - 200mm (8")	9341229012070	1
TIX510	Automatic Design - 250mm (10")	9341229012087	1
TIX512	Automatic Design - 300mm (12")	9341229012094	1
TIX514	Automatic Design - 355mm (14")	9341229014906	1



### Nail Spotters

Attaches to Universal Tool Handle and loads via Compound Tube or Loading Pump to fill fixing holes. Durable construction with USA billet aluminium and hardened steel components, featuring rubber O-Ring roller wheels and spring-less hinged door design for ultimate cleaning efficiency.

TIX102	55mm (2")	9341229018959	1
TIX103	75mm (3")	9341229018966	1

## Universal Handles

Ultra-lightweight at 0.54kg (1.2LBS) with durable 32mm (1.25") diameter tube and USA billet aluminium and steel components. Fitted with Step-Lock mechanism for length adjustment and Anti-Slip mould grips. Suits Corner Boxes (excl. TIX402 for safety reasons), Corner Finishers, Glazers, Corner Rollers and Nail Spotters.


Code	Description	Unit Barcode	CTN QTY
TIX401	Standard Adj - 915 - 1525mm (36 - 60")	9341229018911	1
TIX402	Long Adj - 1220 - 2440mm (48 - 96")	9341229018928	1
TIX803	Head Attachment	9341229018898	1



## BigMudda® Finishing Box Handles

Ultra-lightweight with durable 32mm (1.25") diameter tube and USA billet aluminium and steel components. Features Thumb-Click mechanism for easy length alterations and Anti-Slip mould grips.

TIX498M	Extendable 1016 - 1524mm (40 - 60")	9341229000381	1
TIX499M	Extendable 1422 - 1930mm (56 - 76")	9341229012162	1



Unique bent handle designed provide extra leverage and improved access in tight space work. Features dual attachments suiting all Intex finishing tools.

TIX489	Mini - 500mm (19")	9341229012209	1
--------	--------------------	---------------	---



## BigMudda® Pumps & Tubes

Durable construction with USA billet aluminium and split hardened steel components. Features 20° angled handle avoiding back pain and fatigue, Quick-Release clips for ultimate cleaning efficiency and filtered intake to eliminate lumps. Filler Nozzle and Gooseneck Attachment sold separately

TIX700	Standard 400mm (15.5")	9341229012018	1
--------	------------------------	---------------	---

### BigMudda® Pumps & Tubes Cont'

Attaches to Loading Pump to feed compound into Automatic Taper.



TIX730



TIX720

Code	Description	Unit Barcode	CTN QTY
TIX730	Attachment - 400mm (15")	9341229012032	1

Attaches to Loading Pump to feed compound into Finishing Boxes and Nail Spotters. Suits both Standard and TallMudda® Loading Pumps.

TIX720	Box Filler Nozzle Attachment	9341229012025	1
--------	------------------------------	---------------	---

Durable construction with USA billet aluminium and split hardened steel components, with Quick-Release brass clamps for ultimate cleaning efficiency. Features interchangeable attachments suiting Flat Boxes, Corner Boxes, Nail Spotters, Flat Applicators, Corner Applications, and Corner Finishers.



TIS900

TISB42Q	Aluminium Loading Pump - 1070mm (42")	9341229018874	1
TIS900	Loading Pump Nozzle Only	9341229018850	1



TISB42Q

TQF20	Plastic Loading Pump - 700mm (28")	9341229220390	1
-------	------------------------------------	---------------	---



### Compound Applicator Tubes & Accessories

Durable construction with USA billet aluminium and split hardened steel components, with Quick-Release brass clamps for ultimate cleaning efficiency. Features interchangeable attachments suiting Flat Boxes, Corner Boxes, Nail Spotters, Flat Applicators, Corner Applications, and Corner Finishers.



TIS910

TIS042Q	Aluminium Loading Pump - 1070mm (42")	9341229014616	1
TIS910	Loading Pump Nozzle Only	9341229018843	1



TIS042Q

**Tool Cases**

Heavy Duty lightweight construction lined with cushioned and secure egg-shell foam insides, featuring four brass hinge lock latches. Suits semi-automatic tools and other finishing tools such as skimming blades.

Code	Description	Unit Barcode	CTN QTY
TIS100	Glazer Kit Case - 1345 x 419 x 114mm (53.4"x 16.5"x 4.5)	9341229014104	1



Heavy Duty construction with lockable hinge lock security latches. Designed for securely and safely housing automatic tools fitted with handle holders and compartments. Features rubber feet, rolling wheels and ergo handles.

TIX100	BigMudda® Kit Case -1448 x 432 x 229mm (57"x 17"x 9")	9341229223483	1
--------	---	---------------	---



**Glazer Tool Kit**

**Contents:**


- TIS625 - Standard Flusher 65mm (2.5")
- TIS630 - Standard Flusher 75mm (3")
- TIS635 - Standard Flusher 90mm (3.5")
- TIS804 - Applicator 4 Wheels 55mm (2")
- TIS042Q - Loading Pump 1070mm (42")
- TIX401 - Universal Handle 915-1525mm (36 - 60")
- TIX803 - Head Attachment
- TIS100 - Case - 1345 x 419 x 114mm (53.4" x 16.5" x 4.5)

TISKIT1509Q	8 Piece Internal Glazing Kit	9341229018935	1
-------------	------------------------------	---------------	---



**Automatic Drywall Tools Spare Part Kits**

TIPCTR1	Taper Repair KIT	9341229225098	TIPFFBR98	Box Blades 8"	9341229225241
TIPCTA41	Cutter Block Assembly	9341229225104	TIPFFBR910	Box Blades 10"	9341229225258
TIPCTR2	Taper Head Repair KIT	9341229225111	TIPFFBR912	Box Blades 12"	9341229225265
TIPCTR42A	Taper Blades	9341229225128	TIPFFBR914	Box Blades 14"	9341229225272
TIPCTR63	Taper Needles	9341229225135	TIPFFBR405	Bead Wheel Axel KIT 5.5"	9341229225289
TIPCTR72	Taper Cables	9341229225142	TIPFFBR408	Bead Wheel Axel KIT 8"	9341229225296
TIPAHRBK2	Angle Head Blade KIT 2"	9341229225159	TIPFFBR4010	Bead Wheel Axel KIT 10"	9341229225302
TIPAHRBK25	Angle Head Blade KIT 2.5"	9341229225166	TIPFFBR4012	Bead Wheel Axel KIT 12"	9341229225319
TIPAHRBK3	Angle Head Blade KIT 3"	9341229225173	TIPFFBR4014	Bead Wheel Axel KIT 14"	9341229225326
TIPAHRBK35	Angle Head Blade KIT 3.5"	9341229225180	TIPCRA2	Corner Roller Wheel KIT	9341229225333
TIPMPR1	Mud Pump Repair KIT	9341229225197	TIPHNS73	Nail Spotter Blade 3"	9341229225340
TIPFFBA41	Bead Wheels	9341229225203	TIPHNSA53	Nail Spotter Wheel KIT 3"	9341229225357
TIPFFBA36	Box Wheels	9341229225210	TIPHHR1	Hydra Handle Repair KIT	9341229225364
TIPFFBR77A	Box Shoes	9341229225227	TIPCCRK	Adj 180° Corner Roller Repair KIT	9341229225371
TIPFFBR95	Box Blades 5.5"	9341229225234	TIPITCK	Inside Track Conversion Kit (Excludes Auto Boxes)	9341229228860



View Parts  
[intexinternational.com](http://intexinternational.com)



**Auto Drywall Tools Merchandise**

## Buckets & Pans



Designed for mixing gauges of compound with super pliable plastic material to resist cracking.

Code	Description	Unit Barcode	CTN QTY
B0010	Soft Plastic Bucket 10L (2.6gal)	9341229001593	25



Designed for mixing gauges of compound and corner cement with super pliable plastic material to resist cracking.

GP942	Rectangular Gauge Pot 10L (2.6gal)	9341229001609	25
-------	------------------------------------	---------------	----



Precision ground and welded corrosion resistant construction with curved easy scoop and clean interior edges.

MP712	Stainless Mud Pan 300mm (12")	9341229001012	10
MP714	Stainless Mud Pan 355mm (14")	9341229225609	10

## PlasterX® Hawks



Hardened and tempered aluminium alloy construction with curved blade corners and concentric traction rings. Fitted with impact resistant ABS handle with ergonomic MegaGrip® rubber over mould.

H6425	Aluminium - 300mm (12")	9341229000107	6
H6485	Aluminium - 330mm (13")	9341229010526	6



Ultra-lightweight and corrosion resistant Magnesium alloy construction with curved blade corners and concentric traction rings. Fitted with impact resistant ABS handle with ergonomic MegaGrip® rubber over mould.

HK263	Magnesium - 330mm (13")	9341229006994	6
-------	-------------------------	---------------	---

## PlasterX® Corner Tools



Precision ground and polished blade for durability and controlled flexibility, tightly flexing down to 90°. Fitted with ABS handle with ergonomic MegaGrip® rubber over mould.

Code	Description	Unit Barcode	CTN QTY
CT285	Internal Stainless - 100mm (4")	9341229004976	6



Precision ground and polished blade for durability and controlled flexibility, adjusting to feather corners from 80° to 150° and dismantling for easy cleaning. Fitted with ABS handle.

CTA01	Internal Stainless VersaTrowel® 75mm (3")	9341229000725	6
-------	---	---------------	---



Precision ground and polished blade for durability and controlled flexibility, adjusting to feather corners from 80° to 150° and dismantling for easy cleaning. Fitted with ABS MegaGrip® handle.

C00V5	Internal Stainless - 50mm (2")	9341229004808	10
-------	--------------------------------	---------------	----



Economical plastic construction, designed for DIY requirements, embedding tape into corner and feathering edges.

CP005	Plastic - 70mm (2.5")	9341229014913	24
-------	-----------------------	---------------	----



## PlasterX® Small Tools

Hardened and tempered hand-finished and polished one-piece Italian design for durability, controlled flexibility and wear resistance. Fitted with triangular trowel ends and varying flexible width heel blades.

Code	Description	Unit Barcode	CTN QTY
ST012	Carbon Steel - 12mm (1/2")	9341229006260	6
ST018	Carbon Steel - 19mm (3/4")	9341229006277	6
ST025	Carbon Steel - 25mm (1")	9341229006284	6



## PlasterX® DIY Joint Knives

Economical plastic joint knives designed for DIY requirements.

JP015	Putty Plastic - 38mm (1.5")	9341229005287	24
JP004	Plastic - 100mm (4")	9341229001784	24
JP006	Plastic - 150mm (6")	9341229001616	24
JP008	Plastic - 200mm (8")	9341229001623	24
JP010C	Plastic - 250mm (10")	9341229005270	24



## PlasterX® Nylon Joint Knives

Precision ground and polished full-length (end to end) blade for durability and controlled flexibility.

J1020	Putty Carbon Steel - 32mm (1.25")	9341229005072	12
J1040	Putty Carbon Steel - 51mm (2")	9341229005089	12
J1070	Splayed Carbon Steel - 76mm (3")	9341229005096	12
J1080	Carbon Steel - 102mm (4")	9341229000756	12
J1090	Carbon Steel - 127mm (5")	9341229005102	12
J1100	Carbon Steel - 152mm (6")	9341229001401	12
J1120	Carbon Steel - 254mm (10")	9341229007663	12

J2020	Putty Stainless - 32mm (1.25")	9341229009896	12
J2040	Putty Stainless - 51mm (2")	9341229009926	12
J2070	Splayed Stainless - 76mm (3")	9341229005133	12
J2080	Stainless - 102mm (4")	9341229001418	12
J2090	Stainless - 127mm (5")	9341229005140	12
J2100	Stainless - 152mm (6")	9341229000800	12
J2120	Stainless - 254mm (10")	9341229005157	12

## PlasterX® MegaGrip® Joint Knives



Precision ground and polished full-length (*end to end*) blade for durability and controlled flexibility. Fitted with ABS and hammer handle with ergonomic MegaGrip® rubber over mould.

Code	Description	Unit Barcode	CTN QTY
J4220	Putty Stainless - 32mm (1.25")	9341229018201	12
J4240	Putty Stainless - 51mm (2")	9341229018218	12
J4260	Splayed Stainless - 76mm (3")	9341229005256	12
J4280	Stainless - 102mm (4")	9341229001432	12
J4290	Stainless - 127mm (5")	9341229005263	12
J4300	Stainless - 152mm (6")	9341229001449	12



Suits a variety of applications; flat scraper, concave scraper, convex scraper, paint stripper, spreader, flooring knife, gouger, nail setter and puller, hammer, opener and roller cleaner.

J4211C	Multipurpose Stainless - 76mm (3")	9341229014784	12
--------	------------------------------------	---------------	----

## PlasterX® All Stainless Joint Knives

Hand-finished precision ground and polished one-piece design for durability, controlled flexibility and easy cleaning.



J5038	Putty - 38mm (1.5")	9341229018591	4
J5051	Putty - 51mm (2")	9341229018355	4
J5076	Splayed - 76mm (3")	9341229018362	4
J5102	102mm (4")	9341229018379	4
J5127	127mm (5")	9341229018386	4
J5152	152mm (6")	9341229018393	4
J5200	200mm (8")	9341229018423	4
J5250	250mm (10")	9341229018430	4



Fits onto the All Stainless Steel Joint Knives with heat gun to provide anti-slip grip and improved circulation in cold environments.

J5MHS	MegaGrip® Shrink Fit Sleeve (5 Pack)	9341229017235	24
-------	--------------------------------------	---------------	----

## PlasterX® Drywall Skimmers

Designed to increase meterage output and enhances quality of finish, whilst significantly reducing effects of fatigue and RSI. Ultra-fine INOX Stainless Steel flexible blade and precise fulcrum point allows 10x more contact area with surface, resulting in extremely smooth surfaces. Ergonomic handle design exerts pressure on blade without finger pressure or wrist strain. Rounded edges and tangential angles provide a practically groove-less filling surface.

Code	Description	Unit Barcode	CTN QTY
SDS025	Stainless - 250mm (10")	9341229017600	1
SDS045	Stainless - 450mm (18")	9341229017617	1
SDS060	Stainless - 600mm (23")	9341229017624	1
SDS080	Stainless - 800mm (31")	9341229017631	1
SDS100	Stainless - 1000mm (39")	9341229017594	1
SDSHA*	Universal Handle Attachment*	9341229227771	1
SP764	Fiberglass Pole - 1200 - 2400mm (48 - 96")	9341229006192	12
TIX401	Aluminium Pole - 915 - 1525mm (36 - 60")	9341229018911	1
TIS100S	Skimmer Kit Tool Case (Case Only)	9341229228792	1



SDSKIT1	7 Piece Skimmer Kit *	9341229227627	1
---------	-----------------------	---------------	---



\*Kit Includes: 10", 18", 23", 31" Skimmers, Handle & Case.  
(Note case shown may differ from actual product)

## PlasterX® MidFlex™ Heritage Trowels

Hardened and tempered INOX Stainless Steel blades with gold-plated heat treatment for durability, controlled flexibility and wear resistance. Hand finished chamfered edges, transverse ground underside ground, pre-broken in shape and polish, designed to satisfy the most demanding professional. Sandblasted diecast aluminium mounting is fixed with 10 welded bracket studs and fitted with rubber or lightweight cork handles.



Code	Description	Unit Barcode	CTN QTY
TMG280	MegaGrip® Handle - 280mm (12")	9341229017679	8
TMG355	MegaGrip® Handle - 355mm (14")	9341229017730	8
TMG405	MegaGrip® Handle - 405mm (16")	9341229017761	8



TCG280	Cork Handle - 280mm (12")	9341229017686	8
TCG355	Cork Handle - 355mm (14")	9341229017747	8
TCG405	Cork Handle - 405mm (16")	9341229017778	8

## PlasterX® MegaFlex™ Heritage Trowels

Hardened and tempered INOX Stainless Steel blades with hand finished chamfered edges, transverse ground underside ground, pre-broken in shape and polish, designed to satisfy the most demanding professional. Sandblasted diecast aluminium mounting is fixed with 10 welded bracket studs. Features versatile double-blade technology and lightly rounded edges for additional flex, providing ultra-fine and burr-free fillings.



TCS300F	Stainless Cork Handle - 300mm (12")	9341229019475	8
TCS360F	Stainless Cork Handle - 360mm (14")	9341229019482	8

## PlasterX® Trade Trowels

Precision ground and polished blade for durability and controlled flexibility. Fitted with ABS and handle with ergonomic MegaGrip® rubber over mould.



TPS200	Flat Stainless - 200mm (8")	9341229006543	12
TPS280	Flat Stainless - 280mm (12")	9341229000473	6
TPS455	Flat Stainless - 455mm (18")	9341229007441	6



TPF200	Flat Carbon Steel - 200mm (8")	9341229000701	12
TPF280	Flat Carbon Steel - 280mm (12")	9341229000459	6
TPF355	Flat Carbon Steel - 355mm (14")	9341229006512	6
TPF455	Flat Carbon Steel - 455mm (18")	9341229000480	6
TPF500	Flat Carbon Steel - 500mm (20")	9341229006529	6
TPF600	Flat Carbon Steel - 600mm (24")	9341229006536	6

TPC200	Curved Carbon Steel - 200mm (8")	9341229000442	12
TPC280	Curved Carbon Steel - 280mm (12")	9341229000466	6



## PlasterX® Plastic Trowel

Italian style plastic float designed for texture coating and rendering.

Code	Description	Unit Barcode	CTN QTY
T827P	Flat Plastic - 405mm (16")	9341229001494	10



## PlasterX® Taping Knives

Lightweight aluminium mounting with precision ground and polished blades providing durability and controlled flexibility. Fitted with ABS hammer handle with ergonomic MegaGrip® rubber over mould.

TKM08	Blue Steel - 200mm (8")	9341229001500	12
TKM10	Blue Steel - 250mm (10")	9341229000893	12
TKM12	Blue Steel - 300mm (12")	9341229001517	12
TKM14	Blue Steel - 350mm (14")	9341229001524	12



TKM08S	Stainless - 200mm (8")	9341229000886	12
TKM10S	Stainless - 250mm (10")	9341229000909	12
TKM12S	Stainless - 300mm (12")	9341229000916	12
TKM14S	Stainless - 350mm (14")	9341229011813	12
TKM16S	Stainless - 400mm (16")	9341229007892	12



## PlasterX® Tape Dispensers & Applicators


Economical design attaches to belt hook and holds up to 150m (500') paper tape rolls to provide fast and easy dispensing of paper joint tape for flat or corner joint applications.

T9090	Steel Skeleton Paper Tape Dispenser	9341229006314	6
-------	-------------------------------------	---------------	---

## Taping Boxes

Holds 2.5kg of compound and up to 150m (500') paper tape rolls, dispensing and applying tape and compound simultaneously to flat joints. Corner roller attachment (THXP50) interchanges with the flat roller attachment to enable internal corner applications.

Code	Description	Unit Barcode	CTN QTY
TX650	Taping Box (Inc. Flat Joint Attachment Only)	9341229001760	6
THXP50	Taping Box Corner Roller Attachment	9341229009933	12
TX650CA	Taping Box (Inc. Corner Attachment THXP50)	9341229012599	6



## PlasterX® Stud Adhesive Applicator Knife

Precision ground and polished full-length (end to end) blade for durability and controlled flexibility. Fitted with wooden handle.



JBG08	Stainless - 200mm (8")	9341229001456	12
-------	------------------------	---------------	----

## Insulation Knife

Precision ground and polished full-length (end to end) blade for durability with penetration razor point and two blade edges cutting in both forward and reverse. Fitted with ABS and hammer handle with ergonomic MegaGrip® rubber over mould.



KI300	Stainless - 300mm (12")	9341229019970	12
-------	-------------------------	---------------	----

## PlasterX® Knives

Die-cast Aluminium construction with anti-slip knurled grip and screw-lock hinged blade change.



Code	Description	Unit Barcode	CTN QTY
KS102T	Slimline Drywall Knife	9341229009674	12

Durable aluminium construction with thumb-wheel hinged blade change and internal blade stowage.



K0550	Shark Drywall Knife (Inc. Scabbard)	9341229001630	6
-------	-------------------------------------	---------------	---

Die-cast aluminium fold design featuring unique finger hole for ultimate control and maximum cutting penetration whilst eliminating slippage.



KTKFC	Commando Utility TurboKnife®	9341229223582	6
-------	------------------------------	---------------	---

Stainless Steel slide mechanism with aluminium casing, fitted with serrated thumb-wheel blade change.



KTK33	Utility TurboKnife®	9341229009360	6
-------	---------------------	---------------	---

Durable precision ground full-length (end to end) blade with double sided tungsten carbide tips, designed to score fibre cement sheets, laminates, vinyls etc. Fitted with ABS handle.



FCM89	Score & Snap Knife	9341229000497	12
-------	--------------------	---------------	----

## PlasterX® Knife Blades & Dispensers



Heavy Duty construction with precision ground and sharpened razor edges engineered specifically for cutting drywall.

Code	Description	Unit Barcode	CTN QTY
KB100	Refill 100 Pack	9341229011288	36



K8810	100 Pack Dispenser	9341229005317	25
-------	--------------------	---------------	----



## Snips

Designed to cut 1.2mm cold rolled steel or 0.7mm Stainless Steel with drop forged AISI-6150 Chrome Molybdenum Alloy Steel jaws and serrated edged induction hardened blades.

TA103	Straight Cut Aviation Tin Snips	9341229000879	6
-------	---------------------------------	---------------	---



Durable construction featuring Stainless Steel serrated edge blades for use in industrial applications including light gauge metal, wire, PVC and many other materials.

TSP103	Straight Cut Precision Snips	9341229225852	6
--------	------------------------------	---------------	---

## PlasterX® Rasps



Compact diecast zinc alloy case and replaceable hardened and tempered steel blade with anti-clogging sharply ground teeth, designed to neaten plasterboard edges and form set-backs for drywall profile installation.

S1111	Block Plane Rasp - 140mm (5.5")	9341229001463	25
-------	---------------------------------	---------------	----



## Fibre Cement Cutters

Designed for cutting fibre cement sheet up to 10mm thick.

Code	Description	Unit Barcode	CTN QTY
FB005	Fibre Cement Sheet Cutter	9341229000435	10

## PlasterX® Saws

Hardened and tempered Japanese SK5 Carbon Steel blade with precision ground 7 TPI / 8 PPI file teeth cutting in both forward and reverse. Fitted to ergonomic ABS handle with MegaGrip® rubber over mould.

S6222	Cornice Saw - 550mm (22")	9341229223575	12
S6232	Cornice Saw - 800mm (32")	9341229005942	12



Hardened and tempered Japanese SK5 Carbon Steel blade with coarse 5 TPI / 6 PPI file teeth and penetration razor point, designed for cutting openings in drywall. Fitted to ergonomic ABS handle with MegaGrip® rubber over mould.

S9020	Rip Saw - 380mm (16")	9341229000244	6
-------	-----------------------	---------------	---



Hardened and tempered Carbon Steel blade with 9 TPI file teeth cutting in both forward and reverse and penetration razor point designed for cutting openings in drywall. Fitted to ergonomic ABS handle with MegaGrip® rubber over mould.

S1406*	FatJack® Jab Saw 160mm (6")	9341229005867	12
--------	-----------------------------	---------------	----

\*Actual product may vary.

## PlasterX® Mitre Boxes



Adjustable hand crafted laminated plywood construction with rubber base grips and sliding supports to hold cornice. (90°/135° & up to 230mm Cornice)

Code	Description	Unit Barcode	CTN QTY
MO230	Dual Cut - Plywood	9341229005614	1



Adjustable hand crafted laminated plywood construction with rubber base grips and sliding supports to hold cornice. (90° up to 370mm Cornice)

ML370	L-Shaped - Plywood	9341229005591	1
-------	--------------------	---------------	---



Last three times longer than traditional plywood boxes. Features five moulded cornice steps for twelve different cornice profiles. (45/90/135° & 55/75/90mm Cornice) (further three cornice profiles with MRBP510 timber insert)

MBP510	Tri Cut - Plastic	9341229011394	1
--------	-------------------	---------------	---



Super Heavy Duty construction with corrosion resistant and impact resistant 6061 aluminium, designed to last a lifetime. (90°/135° & 55/75/90/100mm Cornice)

MMX510	Dual Cut - 6061 Aluminium	9341229010373	2
MRB510	Replacement Base - Suits MMX510	9341229010724	1



Hand crafted laminated plywood construction. (90°/135° & 55/75/90mm Cornice)

MO579	Dual Cut - Plywood	9341229005621	12
-------	--------------------	---------------	----

## Tape Measures



Compact ABS case fitted with yellow nylon coated Anti-Scratch blade and triple reinforced tip.

Code	Description	Unit Barcode	CTN QTY
T8025	8m x 25mm	9341229006307	10



Impact resistant rubber over-moulded ABS case, fitted with nylon coated Anti-Scratch blade and magnet tip.

TMT25	10m x 25mm	9341229006505	10
-------	------------	---------------	----




Ultra-sized impact resistant rubber over-moulded ABS case, with Anti-Scratch blade and magnet tip.

TFJ32	FatJack® - 10m x 32mm	9341229006345	8
-------	-----------------------	---------------	---

## PlasterX® T-Squares

Heavy Duty construction with 5mm thick powder coated structural aircraft aluminium, featuring high visibility 2mm metric calibrations, reverse ruled for precise measurements in either direction.

TQG12	1200mm (47")	9341229009261	6
TQG13	1350mm (53")	9341229009278	6



## FatJack® Aluminium Spirit Levels

Durable 6061 aluminium aircraft chassis construction with shock absorbing bumpers. Magnetic edge and concentric moulded vials calibrated to 0.005"/" (0.5mm/m), ultrasonically welded to eliminate breaks, leaks and fogging.

Code	Description	Unit Barcode	CTN QTY
LX1200	1200mm (48")	9341229009131	10
LX2000	2000mm (80")	9341229009148	10



## Chalk Reels & Refills

Complete line marking kit; ABS reel with 30m line, line level and 113g (4oz) red chalk refill.

CL14B	Chalk Reel Kit	9341229000954	10
-------	----------------	---------------	----



Micro fine marking chalk for enhanced marking power, with moisture proof squeeze bottle with Anti-Spill twist lid.

CR008R	Red - 8oz (226g)	9341229000992	6
--------	------------------	---------------	---



## Carpenters Pencils

Traditional chamfered rectangle profile with high-visibility coating and medium grey lead.

PC148	Pencils (Pack of 72)	9341229000213	1
-------	----------------------	---------------	---

## PlasterX® Pole Sanders

Full range of motion non-flip design with adjacent surface bumper protector and Velcro base for installing interface pads and abrasives. Universal thread allows Intex and other common poles.



Code	Description	Unit Barcode	CTN QTY
SR360	VorteX® Radius360° Pole Sander Head - 230mm (9")	9341229009117	4

Durable polypropylene construction with cushioned base, fitted with Quick-Change sheet loading clips eliminating traditional wing nuts and clips. Universal thread allows Intex and other common poles.



SPP85	Pole Sander - 240 x 85mm (9.5")	9341229013640	10
-------	---------------------------------	---------------	----

## Extension Poles

Heavy Duty construction with 32mm Ø (1.25") composite fibreglass exterior and aluminium slider tube. Fitted with step-lock mechanism for length adjustment, rubber grip and zinc alloy male thread.

SP764	1200 - 2400mm (48 - 96")	9341229006192	12
-------	--------------------------	---------------	----

Ultra-lightweight telescopic poles at 0.54kg (1.2LBS) with durable 32mm (1.25") diameter tube with USA billet aluminium and steel components. Fitted with Step-Lock mechanism for length adjustment and Anti-Slip moulded grips.

TIX401	915 - 1525mm (36 - 60")	9341229018911	1
TIX402	1220 - 2440mm (48 - 96")	9341229018928	1



SP764



TIX401



TIX402

## Extension Poles

Universal thread attaches to Intex and other common poles to allow hand tools to be used at height. Pivoting head is able to locked at required angle to suit required applications.



Code	Description	Unit Barcode	CTN QTY
SPU01	Megadaptor® Pole Attachment	9341229001739	20

## PlasterX® Hand Sanders

Durable polypropylene construction with cushioned base, fitted with Quick-Change sheet loading clips eliminating traditional wing nuts and clips.



SPH22	Large - 280 x 110mm (11")	9341229000008	10
-------	---------------------------	---------------	----



Durable polypropylene construction with cushioned base, fitted with Quick-Change sheet loading clips eliminating traditional wing nuts and clips.

SPH85	Small - 235 x 80mm (9")	9341229013657	10
-------	-------------------------	---------------	----

## Staple Guns



Medium Duty steel construction with chrome plating and hardened steel working parts. Ergonomic handle reduces effects of fatigue and RSI. Suits Intex MegaFix® and other common staples brands.

Code	Description	Unit Barcode	CTN QTY
SPX14	6-8mm - Small	9341229006215	10



Heavy Duty steel construction with chrome plating and hardened steel working parts. Ergonomic handle reduces effects of fatigue and RSI. Suits Intex MegaFix® and other common staples brands.

SPX34	6-14mm - Large	9341229006222	6
-------	----------------	---------------	---

## Hammers



Forged and polished one-piece steel construction with anti-shock technology and MegaGrip® rubber over mould.

HX320	Claw Hammer 20oz (570g)	9341229000084	6
-------	-------------------------	---------------	---



HX311	Drywall Hammer 14oz (400g)	9341229000091	6
-------	----------------------------	---------------	---

\*Actual product may vary.


## Stud & Track Crimpers



Heavy Duty steel construction, designed to join metal framing members firmly together with spring return MegaGrip® handles, eliminating traditional fixings. Lightweight and compact design allows for easy overhead or tight space work.

CS188	MegaGrip® Handle	9341229006864	6
-------	------------------	---------------	---

## Caulking Guns



Zinc alloy construction with hardened and tempered steel rod and plunger.  
Drip-less handle design with 7:1 thrust ratio and 310ml (9") capacity.

Code	Description	Unit Barcode	CTN QTY
CG311	Skeleton Frame 310ml (9")	9341229004884	24



Reinforced Nylon construction with hardened and tempered steel rod and plunger.  
Drip-less handle design with 6:1 thrust ratio and 310ml (9") capacity.

CGN311	Nylon - 310ml (9")	9341229011028	24
--------	--------------------	---------------	----



Impact resistant Nylon construction with hardened and tempered steel rod and plunger.  
Fitted with patented quick-fit and tool-less plunger with 12:1 thrust ratio and 600ml (20.2oz) capacity.

CG670A	Barrel Gun - 600mm (24")	9341229000718	10
--------	--------------------------	---------------	----



## Sponges

Absorbent sponges suited for wiping down cornices etc.

SP01M	200 x 100 x 48mm	9341229005515	12
-------	------------------	---------------	----



## PlasterX® Mixer Rods

Welded steel construction with corrosion resistant chrome plating. Attaches to drill with 10mm hex shank for various applications with 10 - 20kg capacity; plaster, paints, mortar, cement and almost any other liquid material.

MP205	Universal - 100 x 600mm	9341229000855	6
-------	-------------------------	---------------	---

## PlasterX® Sheet Lifters & Handlers

Designed for lifting sheets off the ground and into position whilst fixing.



Code	Description	Unit Barcode	CTN QTY
SLT45	Mini Drywall Lifter	9341229006147	6



S9081	Rolling Drywall Lifter	9341229001487	2
-------	------------------------	---------------	---



Ergonomic 350mm (14") plastic handle designed for carrying sheet materials.

S3300	Drywall Sheet Handler	9341229007847	20
-------	-----------------------	---------------	----

Trigger operated telescopic pole with pivoting and rotating feet, designed to support ceiling rosettes, cornice, ceiling sheets etc during installation with 30kg capacity.

SP300	MegaJack® 1150 - 2900mm (45 - 114")	9341229001661	10
-------	-------------------------------------	---------------	----



## Floor Scrapers

Heavy Duty construction for concrete floor cleaning with 1480mm (58") steel handle and angled blade edges to protect walls whilst working.

FS214	Blue Steel 350mm (14")	9341229000732	6
-------	------------------------	---------------	---



## Tool Bags & Storage



Premium suede leather with reinforced reversed end gussets, fitted with two pockets, steel tape measure clip, steel hammer holder and loop, three tool pouches, 50mm wide webbing belt and buckle.

Code	Description	Unit Barcode	CTN QTY
N1252	2 Pocket Leather Nail & Tool Combo Bag	9341229000114	20



Durable and lightweight nylon with four large pockets, knife sheath, tape measure holder, steel hammer holder and loops, six tool pouches and 50mm wide belt and buckle.

N1266	Nylon Carpenters Tool Rig	9341229000145	10
-------	---------------------------	---------------	----



Premium full grain oil tanned leather with four large pockets, knife sheath, tape measure holder, steel swivel hammer holder, loops, six tool pouches and 50mm wide belt and buckle.

N1255	Premium Leather Carpenters Tool Rig	9341229000138	10
-------	-------------------------------------	---------------	----



Durable and lightweight denier construction with rigid water-resistant base. Fitted with rollers wheels, carry handle and storage pockets.

TB600	FatJack® Roller Tool & Equipment Bag	9341229225869	1
-------	--------------------------------------	---------------	---





# Site Equipment

## Lumo® LED Worklights



Cool non-glare illumination with COB technology. Durable construction with IK09 impact resistant and IP65 water resistant rating, featuring adjustable brightness and practical USB charger. Complies with safety standards.

Code	Description	Unit Barcode	CTN QTY
SLB03	Cordless Headlight 350 Lumens (3.5W)	9341229229843	1/40



Cool non-glare illumination with COB technology. Durable construction with IK09 impact resistant and IP65 water resistant rating, featuring adjustable dual brightness and practical USB charger. Complies with safety standards.

SLB10	Cordless Magnet light 1000 Lumens (10W)	9341229018584	1/16
-------	---	---------------	------



Heavy Duty steel construction and mountable with for lights with 360° locking positions. Compact telescopic design with locking screws for height adjustments, handling and storage.

STR21	Telescopic Tripod 1100 - 2100mm (43 - 83")	9341229018454	1/2
-------	--	---------------	-----

## Lumo® LED Worklight Spare Parts

SLB10240C	Charger - Suits SLB10/SLB02	9341229226385
SLB40240C	Charger - Suits SLB2500/SLB4000	9341229226392
SLB20240C	Charger - Suits SLB20	9341229223759
SLB012C	12V Car Charger - Suits SLB20	9341229226408



View Parts  
[intexinternational.com](http://intexinternational.com)

**Lumo® LED Worklights Cont'**

Cool non-glare illumination with COB technology improving lighting effect and efficiency. Durable construction for the most demanding conditions with IK07 impact resistant and IP65 water resistant rating. Features adjustable brightness dial and 120° adjustable stand. Complies with safety standards.



Code	Description	Unit Barcode	CTN QTY
SLB2500	Cordless 2500 Lumens (25W)	9341229016900	1/4
SLB20	Cordless 2200 Lumens (20W)	9341229015576	1/4



Cool non-glare illumination with COB technology improving lighting effect and efficiency. Durable construction for the most demanding conditions with IK07 impact resistant and IP65 water resistant rating. Features adjustable brightness dial and 120° adjustable stand. Complies with safety standards.

SLB4000	Cordless 4000 Lumens (40W)	9341229016917	1/4
---------	----------------------------	---------------	-----



Cool non-glare illumination with COB technology improving lighting effect and efficiency. Durable construction for the most demanding conditions with IK07 impact resistant and IP54 water resistant rating. Features adjustable brightness dial and 120° adjustable stand. Complies with safety standards.

SLP6000	Corded 6000 Lumens (60W)	9341229005485	1/4
---------	--------------------------	---------------	-----



Designed to convert Intex Lumo® Worklights into 360° Floodlights, compatible with SLB4000 and SLP6000. Impact-resistant lightweight housing with IK07 impact rating for the most demanding conditions.

SLS360	360° Floodlight Attachment	9341229009353	1/6
--------	----------------------------	---------------	-----



## Extension Leads

Industrial Rated oil and solvent resistant rubber formula won't stiffen and crack, maintaining flexibility even in extreme weather conditions. Power On neon safety lights with clear plugs and socket moulding for inspection and safety. Complies with safety standards.

Code	Description	Unit Barcode	CTN QTY
EL102T	10 AMP (10A Plug & Socket) 20m (65')	9341229004167	4
EL153T	10 AMP (10A Plug & Socket) 30m (100')	9341229004181	4



## Drop Sheets

Reusable plastic sheet to protect floor etc during renovations, refurbishments, demolition and maintenance in sensitive or occupied areas.

D3627	2.6 x 3.6m (8.5 x 12')	9341229011363	50
-------	------------------------	---------------	----



## Marking Spray

Premium grade hi-visibility spray featuring unique trigger cap design for clean and easy inverted marking. Complies with domestic and commercial standards.

SM350R	Red Tinted (350g)	9341229223209	12
--------	-------------------	---------------	----



## Adhesive Tapes

5DT48	Duct Tape 48mm x 30m (1.9" x 196')	9341229009094	60
-------	------------------------------------	---------------	----



### Ratchet Tie Downs

Durable construction with high tenacity polyester webbing and vinyl coated 'S' hooks. Complies with safety standards.

Code	Description	Unit Barcode	CTN QTY
RT25400P4	400kg W.L.L 25mm x 4.6m (4 Pack)	9341229018577	4



RT502500	2500kg W.L.L 50mm x 9m	9341229018645	5
----------	------------------------	---------------	---



### Sheet Lifters & Handlers

Ergonomic 350mm (14") plastic handle designed for carrying sheet materials.

S3300	Drywall Sheet Handler	9341229007847	20
-------	-----------------------	---------------	----

Trigger operated telescopic pole with pivoting and rotating feet, designed to support ceiling rosettes, cornice, ceiling sheets etc during installation with 30kg capacity.

SP300	MegaJack® 1150 - 2900mm (45 - 114")	9341229001661	10
-------	-------------------------------------	---------------	----



## Drywall Carts

Ultra-lightweight aluminium alloy construction with 1 ton W.L.L (1000kg). Designed to easily manoeuvre over work-site terrain and through narrow spaces with Heavy Duty lockable swivel caster wheels. Quickly disassembles and converts into a flatbed for transportation and storage.



Code	Description	Unit Barcode	CTN QTY
CD136A	Aluminium Drywall Cart - 22kg	9341229015101	1

Durable steel construction with 1.4 ton W.L.L (1360kg). Designed to easily manoeuvre over work-site terrain and through narrow spaces with Heavy Duty lockable swivel caster wheels. Quickly disassembles and converts into a flatbed for transportation and storage.



CD136	Steel Drywall Cart - 38kg	9341229011783	1
-------	---------------------------	---------------	---

## Drywall Cart Spare Parts

PLC04R	Swivel Wheel & Bracket 235mm (9.25")	9341229229966
PLC14R	Swivel Wheel & Bracket Lock/Brake 235mm (9.25")	9341229229959



View Parts  
[intexinternational.com](http://intexinternational.com)

## Drywall Sheet Lifters

Designed for one-man lifting and positioning of sheets onto walls or ceilings for fixing up to 3.3m (11') high. Five-piece unit easily disassembles for transport and storage. Telescoping extension (PL167) replaces standard assembly to increase height to 4.6m (15').

Code	Description	Unit Barcode	CTN QTY
PL164	Drywall Sheet Lifter	9341229226002	1
PL167	Height Extension 1200mm (4')	9341229226019	1



View Parts  
intexinternational.com

## Drywall Sheet Lifter Spare Parts

PP668	Cable	9341229226026
PP669	Brass Sheave Inc. Axle Pins	9341229226033
PLP03	Pull Pin Inc. Fasteners	9341229226040
PLP04	Arm	9341229226057
PLP07	Panel Lift End Cap	9341229226064
PLP08	Out Rigger Inc. End Cap	9341229226071
PLP25	Winch Assembly	9341229226088
PLP31	Brake Arm Endcap	9341229226095
PLP42	Caster Wheel	9341229226101
PLP48	End Cap	9341229226118
PLY30	Brake Arm Assembly	9341229226125
PLY37	Centre Leg Type	9341229226132
PLY39	Back Stop Tip Type	9341229226149



## Hi-Stride® Stilts - Single Pole

Industrial Rated lightweight aluminium construction. Features telescopic height adjustments, foot and leg adjustments, pivoting soles for steady balance with dimpled rubber pads for traction.

Code	Description	Unit Barcode	CTN QTY
SHA1830	Medium - 450 - 750mm (18-30")	9341229001692	1
SHA2440	Large - 600 - 1000mm (24-40")	9341229001708	1
SHA4864	2X Large - 1220 - 1625mm (48-64")	9341229225890	1



## Hi-Stride® Stilts - Dual Pole

Industrial Rated ultra-lightweight magnesium construction, reducing fatigue and assisting body posture. Dual pole design increases leg support enhancing comfort and stability. Features telescopic height adjustments, foot and leg adjustments, pivoting soles for steady balance with dimpled rubber pads for traction.

SHX1830	Medium - 450 - 760mm (18-30")	9341229009704	1
SHX2440	Large - 610 - 1015mm (24-40")	9341229009711	1



## Hi-Stride® Stilt Leg Bands

Durable nylon construction with foam padding, attaches to Intex and other common stilt poles, adjusting to size and enhancing comfort around legs.

HSP400	Ergonomic Stilt Leg Bands (Pair)	9341229010366	1/25
--------	----------------------------------	---------------	------



View Parts  
[intexinternational.com](http://intexinternational.com)

## Hi-Stride® Spare Part Kits

HSFS4P	Foot Strap Set (4 Pack)	9341229224039	1
HSL2P	Leg Strap Set (2 Pack)	9341229224046	1
HSPS4P	Pole Sleeve Insert Set (4 Pack)	9341229224053	1
HSRS4P	Rubber Sole Screw Set (4 Pack)	9341229224060	1
HSWB4P	Pole Wing Bolt Set (4 Pack)	9341229224077	1



## Aluminium Ladders

170kg W.L.L lightweight double punched and crimped aluminium alloy construction. Features wide interlocking top, Quick-Set spreader bars, Anti-Slip treads and rubber feet for traction. Complies with safety standards.

Code	Description	Unit Barcode	CTN QTY
LA3150	3-Step - 900mm (3')	9341229018607	1
LA4150	4-Step - 1200mm (4')	9341229018614	1
LA6150	6-Step - 1800mm (6')	9341229018621	1



## Steel Trestles

250kg W.L.L welded steel construction with corrosion resistant powder coated finish. Designed for two planks featuring Quick-Set locking bars and flat feet for stability.

TS004	1200mm (4')	9341229001746	1
TS006	1800mm (6')	9341229001753	1

## Aluminium Planks

230kg W.L.L lightweight aluminium alloy construction with rigid internal stiffening webs and 6061 T6 aluminium end caps. Features Anti Slip deep 'V' knurls and dual strip edging for traction. Complies with safety standards.

PL030R	3m (10')	9341229007984	1
PL040R	4m (13')	9341229011400	1
PL060R	6m (19.5')	9341229010618	1






## Aluminium Step Stools

230kg W.L.L lightweight 6061 T6 aluminium alloy construction. Features chequer top plate with carry slot and dimpled rubber feet for traction. Complies with safety standards.


Code	Description	Unit Barcode	CTN QTY
SST370	370mm (1.2')	9341229013770	1



## Aluminium Folding Stools

230kg W.L.L lightweight aluminium alloy construction with rigid internal stiffening webs and 6061 T6 aluminium end caps. Patented Knax® Motion height adjustment spring-loaded ratchet system eliminates traditional pins and clips. Anti-Slip deep 'V' knurls with dual strip edging and dimpled rubber feet provide traction. Complies with safety standards.

ST2068	2m (6.5') x 600 - 800mm Adj Height	9341229011721	1
ST3068	3m (10') x 600 - 800mm Adj Height	9341229013756	1



## Aluminium Work Platform

Lightweight aluminium construction with 150kg W.L.L. Wide interlocking top enhancing stability and lower tri-bracing connections adding strength. Secure 'Quick-Set' spreader bars prevent folding. Anti-slip treads and rubber boots provide traction. Complies with safety standards.

SWP1190	1.10m (3.6') x 600 - 900mm (24 - 35") Adj Height	9341229225883	1
---------	--	---------------	---



## Aluminium Folding Scaffold

Lightweight 6061-T6 aluminium alloy construction with 225kg W.L.L. Fitted with built-in ladder access and locking hatches. Anti-Slip knurled rungs and Heavy Duty castor wheels with foot breaks provide traction. Erects in seconds and stows to 330mm (12") wide for manoeuvrability and storage. Complies with safety standards.

SPA100	Base - 740 x 1950 x 1970mm	9341229007755	1
--------	----------------------------	---------------	---



### Aluminium Folding Scaffold Cont'

- Contents:**  
 Toe-Board x 1  
 Stabiliser x 2  
 Guardrail Frame x 2  
 Horizontal Brace x 4

Code	Description	Unit Barcode	CTN QTY
SPAK100	<b>Ext Kit #1</b> - 740 x 1950 x 3000mm	9341229018676	1

Image shown with Base (SPA100) - Sold separately.



- Contents:**  
 Trap-Door Platform x 1  
 Guardrail Frame x 2  
 6-Rung Frame x 2  
 1.3m (4.3') Ladder x 1  
 2.1m (6.9') Stabiliser x 4  
 Horizontal Brace x 8  
 Diagonal Brace x 2  
 Toe-Board x 1

SPAK200	<b>Ext Kit #2</b> - 740 x 1950 x 4700mm	9341229015958	1
---------	---	---------------	---

Image shown with Base (SPA100) - Sold separately.

\*Persons performing work where a person or object is 4m (13') from the ground must hold a high-risk work license.



### Aluminium Scaffold Spare Parts

SPAPIN	Lock Pin (Suits SPA100)	9341229225388
SPADB	Diagonal Brace (Suits SPA100)	9341229225395
SPACW	Castor Wheel (Suits SPA100)	9341229225401
SPAHB	Horizontal Brace (Suits SPA100)	9341229225418



## ProtecX® Respiratory Defenders

Durable three-layered cup technology with exhalation valve, suitable for protection against dusts, mists, fumes, mechanically and thermally generated particles. Complies with P2 safety standards.

Code	Description	Unit Barcode	CTN QTY
S8822	P2 Dust Mask (12 Pack)	9341229000220	20



## ProtecX® Ear Defenders

Comfortable polyurethane tapered foam body with unique surface seal. Complies with safety standards.

SEP005	Disposable Uncorded Ear Plugs (5 Pack)	9341229002361	30
--------	--	---------------	----



## ProtecX® Eye Wear

Pliable featherweight PVC body at just 18 grams (0.6oz) with anti-fog, anti-scratch and UV resistant lens. Complies with safety standards.

SSC330	Clear Panoramic Glasses	9341229015446	12/144
--------	-------------------------	---------------	--------



## ProtecX® Headwear

Durable ABS construction with breathing vents. Complies with safety standards.

SH121	Contractor Hard Hat	9341229014470	1
-------	---------------------	---------------	---

## ProtecX® Handwear



Knitted poly cotton material designed to protect against dirt, dust and fingerprints during ceiling tile installation.

Code	Description	Unit Barcode	CTN QTY
SG342	Cotton Gloves (L)	9341229223780	12/120



For industrial and commercial use where ultimate grip is required. Complies with safety standards.

SG12M	MegaGrip® Latex Coated Gloves (M)	9341229017648	12/120
SG12L	MegaGrip® Latex Coated Gloves (L)	9341229017662	12/120
SG12XL	MegaGrip® Latex Coated Gloves (XL)	9341229006253	12/120

## ProtecX® Apparel



Durable 160gsm micro mesh 100% polyester material. Complies with safety standards.

SPHVS	Hi-Vis Polo Shirt (S)	9341229019574	10
SPHVM	Hi-Vis Polo Shirt (M)	9341229019581	10
SPHVL	Hi-Vis Polo Shirt (L)	9341229019598	10
SPHVXL	Hi-Vis Polo Shirt (XL)	9341229019604	10
SPHV2XL	Hi-Vis Polo Shirt (2XL)	9341229019611	10
SPHV3XL	Hi-Vis Polo Shirt (3XL)	9341229019628	10



Durable 100% polyester material with reflective strips. Complies with safety standards.

SV0M2	Hi-Vis Vest (M)	9341229002415	10
SV0L2	Hi-Vis Vest (L)	9341229002422	10
SV0XL2	Hi-Vis Polo Vest (XL)	9341229017198	10



[intexinternational.com](https://www.intexinternational.com)